Index to volume 107

Author index*

The index to the abstracts of the scientific sessions of the 57th meeting of the American Academy of Allergy, Asthma and Immunology is located in the February, part 2, issue.

A

Abdelaziz MM (*see* Bayram et al). 2001;107:287-94
Abe S (*see* Tanaka et al). 2001;107:331-6
Adamek C (*see* Schmid-Ott et al). 2001;107:171-7
Adkinson NF Jr (*see* Primeau et al). 2001;107:958-62
Adkinson NF Jr (*see* Kurtz et al). 2001;107:178-84
Adkinson NF Jr (*see* Huss et al). 2001;107:48-54
Agosti JM (*see* Borish et al). 2001;107:963-70
Ahmed S (*see* Powell et al). 2001;107:272-8
Aihara Y, Kotoyori T, Takahashi Y, Osuna H, Ohnuma S, Ikezawa Z. The necessity for dual food intake to provoke food-dependent exercise-induced anaphylaxis (FEIAn): a case report of FEIAn with simultaneous intake of wheat and *umeboshi*. 2001;107:1100-5
Aioke N (*see* Hoshino et al). 2001;107:295-301
Alenius H (*see* Woodward et al). 2001;107:359-66
Alexander AK (*see* Arlian et al). 2001;107:99-104
Alexis N, Eldridge M, Reed W, Bromberg P, Peden DA. CD14-dependent airway neutrophil response to inhaled LPS: role of atopy. 2001;107:31-5 (Rapid publication)
Ambach A, Bonnekoh B, Gollnick H. Perforin hyperreleasability and depletion in cytotoxic T cells from patients with exacerbated atopic dermatitis and asymptomatic rhinoconjunctivitis allergica. 2001;107:878-86
Amin K, Rinne J, Haahtela T, Simola M, Peterson CGB, Roomans GM, Malmberg H, Venge P, Sevéus L. Inflammatory cell and epithelial characteristics of perennial allergic and nonallergic rhinitis with a symptom history of 1 to 3 years' duration. 2001;107:249-57
Anderson PB (*see* Htut et al). 2001;107:55-60
Änggård A (*see* Blomqvist et al). 2001;107:224-8
Anliker MD, Reindl J, Vieths S, Wüthrich B. Allergy caused by ingestion of persimmon *(Diospyros kaki)*: detection of specific IgE and cross-reactivity to profilin and carbohydrate determinants. 2001;107:718-23
Annett RD. Assessment of health status and quality of life outcomes for children with asthma. 2001;107:S473-81
Aoki Y (*see* Apelberg et al). 2001;107:455-o0
Aonahata M (*see* Shirai et al). 2001;107:924-5 (Letter)
Apelberg BJ, Aoki Y, Jaakkola JK. Systematic review: exposure to pets and risk of asthma and asthma-like symptoms. 2001;107:455-60
Archambault S, Malo J-L, Infante-Rivard C, Ghezzo H, Gautrin D. Incidence of sensitization, symptoms, and probable occuptional rhinoconjunctivitis and asthma in apprentices starting exposure to latex. 2001;107:921-3
Arkwright PD, David TJ. Intradermal administration of a killed *Mycobacterium vaccae* suspension (SRL 172) is associated with improvement in atopic dermatitis in children with moderate-to-severe disease. 2001;107:531-4
Arlian LG, Neal JS, Morgan MS, Vyszenski-Moher DL, Rapp CM, Alexander AK. Reducing relative humidity is a practical way to control dust mites and their allergens in homes in temperate climates. 2001;107:99-104
Arlian LG, Platts-Mills TAE. The biology of dust mites and the remediation of mite allergens in allergic disease. 2001;107:S406-13
Arruda LK (*see* Eggleston et al). 2001;107:S422-9
Arruda LK, Vailes LD, Ferriani VPL, Santos ABR, Pomés A, Chapman MD. Cockroach allergens and asthma. 2001;107:419-28
Asahini A (*see* Kakinuma et al). 2001;107:535-41
Asero R. Perennial rhinitis induced by benzoate intolerance. 2001;107:197 (Letter)
Ashida K (*see* Mitsunobu et al). 2001;107:492-8
Asmus MJ, Barros MD, Liang J, Chesrown SE, Hendeles L. Pulmonary function response to EDTA, an additive in nebulized bronchodilators. 2001;107:68-72
Astori M (*see* Kettner et al). 2001;107:914-20
Atul K (*see* Woodward et al). 2001;107:359-66

B

Bablitz B (*see* Lacy et al). 2001;107:671-8. Correction 2001;107:1008
Bachert C, Gevaert P, Holtappels G, Johansson SGO, van Cauwenberge P. Total and specific IgE in nasal polyps is related to local eosinophilic inflammation. 2001;107:607-14
Bader U, Bucher C, Wüthrich B. Inhalative allergy to Hyfoama DS, a casein derivative. 2001;107:198 (Letter)
Bakakos P, Smith JL, Warner JO, Vance G, Moss CT, Hodges E, Lanham S, Howell WM. Modification of T-cell receptor Vβ repertoire in response to allergen stimulation in peanut allergy. 2001;107:1089-94
Baldini M (*see* Schweiger et al). 2001;107:505-10
Bannon GA (*see* Beyer et al). 2001;107:1077-81
Bardina L (*see* Beyer et al). 2001;107:1077-81
Bardina L (*see* Chatchatee et al). 2001;107:379-83
Barnes C (*see* Mitakakis et al). 2001;107:388-9 (Brief communication)
Barnes JH (*see* Williams et al). 2001;107:560-1 (Letter reply)
Baroody FM (*see* deTineo et al). 2001;107:194-5 (Brief communication)
Barros MD (*see* Asmus et al). 2001;107:68-72
Bassam (*see* Pinsonneault et al). 2001;107:477-82
Baur X (*see* Sander et al). 2001;107:907-13
Bayram H, Sapsford RJ, Abdelaziz MM, Khair OA. Effect of ozone and nitrogen dioxide on the release of proin-

*January, pp. 1-200; February, part 1, pp. 201-416; part 2, pp. S1-S402; March, part 1, pp. 417-564; part 2, pp. S403-S442; April, pp. 565-762; May, part 1, pp. 763-934; part 2, pp. S443-S486; June, pp. 935-1152.

flammatory mediators from bronchial epithelial cells of nonatopic nonasthmatic subjects and atopic asthmatic patients in vitro. 2001;107:287-94
Beasley R, Burgess C, Holt S. Call for worldwide withdrawal of benzalkonium chloride from nebulizer solutions. 2001;107:222-3 (Editorial)
Beck LA (*see* Saminario et al). 2001;107:143-52
Becker AB. Outcomes in pediatric asthma: introduction. 2001;107:S443-4
Becker AB. Outcomes in pediatric asthma: what are the important issues? 2001;107:S485-6
Becker W-M (*see* Peterson et al). 2001;107:856-62
Beezhold DH, Hickey VL, Sussman GL. Mutational analysis of the IgE epitopes in the latex allergen Hev b 5. 2001;107:1069-76
Befus AD (*see* Vliagoftis et al). 2001;107:679-85
Bel EH (*see* Brinke et al). 2001;107:449-54
Benjamin DC (*see* Gafvelin et al). 2001;107:511-18
Benjamin DC (*see* Smith et al). 2001;107:977-84
Bensch G (*see* Borish et al). 2001;107:963-70
Berchtold E (*see* Müller et al). 2001;107:81-6
Berns EA (*see* Martin et al). 2001;107:595-601
Beyer K (*see* Chatchatee et al). 2001;107:379-83
Beyer K, Morrow E, Li X-M, Bardina L, Bannon GA, Burks AW, Sampson HA. Effects of cooking methods on peanut allergenicity. 2001;107:1077-81
Bhan AK (*see* Woodward et al). 2001;107:359-66
Bieber T (*see* Panhans-Groß et al). 2001;107:345-62
Bieber T (*see* Wollenberg et al). 2001;107:519-25
Bieberich E (*see* Ren et al). 2001;107:322-30
Binard-Van Cangh F (*see* Vandenplas et al). 2001;107:542-7
Binkley K, King N, Poonai N, Seeman P, Ulpian C, Kennedy J. Idiopathic environmental intolerance: increased prevalence of panic disorder–associated cholecystokinin B receptor allele 7. 2001;107:887-90
Binkley KE, Davis AE III. Hereditary angioedema type III: an additional French pedigree with autosomal dominant transmission. 2001;107:747-8 (Letter reply)
Bish R (*see* Tang et al). 2001;107:863-70
Blomqvist EH, Lundblad L, Änggård A, Haraldsson P-O, Stjärne P. A randomized controlled study evaluating medical treatment versus surgical treatment in addition to medical treatment of nasal polyposis. 2001;107:224-8
Blumenthal RL, Campbell DE, Hwang P, DeKruyff RH, Frankel LR, Umetsu DT. Human alveolar macrophages induce functional inactivation in antigen-specific CD4 T cells. 2001;107:258-64
Bochner BS (*see* Columbo and Bochner). 2001;107:554 (Letter)
Bochner BS (*see* Saini et al). 2001;107:832-41
Bochner BS (*see* Saminario et al). 2001;107:143-52
Bochner BS (*see* Tachimoto et al). 2001;107:302-9
Bock SA, Muñoz-Furlong A, Sampson H. Fatalities due to anaphylactic reactions to food. 2001;107:191-3
Böhm, M, Bunselmeyer B, Luger TA, Brehler R. Food intolerance due to wine gums: identification of copper chlorophyll (E141) as a possible pseudoallergen. 2001;107:393-4 (Letter)
Boks S (*see* Holm et al). 2001;107:627-33
Boner AL (*see* Malerba et al). 2001;107:654-8
Bonilla I (*see* Monteseirín et al). 2001;107:623-6
Bonnekoh B (see Ambach et al). 2001;107:878-86
Borish LC, Nelson HS, Corren J, Bensch G, Busse WW, Whitmore JB, Agosti JM, IL-4R Asthma Study Group. Efficacy of soluable IL-4 receptor for the treatment of adults with asthma. 2001;107:963-70
Boulet L-P (*see* Christodoulopoulos et al). 2001;107:586-91
Boulet LP (*see* Chakir et al). 2001;107:36-40 (Rapid publication)
Bousquet J (*see* Bresciani et al). 2001;107:73-80
Bousquet J (*see* Vachier et al). 2001;107:824-31
Boyano-Martínez T (*see* García-Ara et al). 2001;107:185-90
Braunstahl G-J, Overbeek SE, KleinJan A, Prins J-B, Hoogsteden HC, Fokkens WJ. Nasal allergen provocation induces adhesion molecule expression and tissue eosinophilia in upper and lower airways. 2001;107:469-76
Brehler R (*see* Böhm et al). 2001;107:393-4 (Letter)
Brehler R, Luger T, Kütting B. Ultrarush immunotherapy in patients with Hymenoptera venom allergy. 2001;107:928-9 (Letter reply)
Breitenbach M (*see* Vailes et al). 2001;107:641-6
Breitstadt R (*see* Merget et al). 2001;107:707-12
Bresciani M, Paradis L, Des Roches A, Vernhet H, Vachier I, Godard P, Bousquet J, Chanez P. Rhinosinusitis in severe asthma. 2001;107:73-80
Briles D (*see* Depiero et al). 2001;107:1051-5
Brodeur SR (*see* Woodward et al). 2001;107:359-66
Bromberg P (*see* Alexis et al). 2001;107:31-5 (Rapid publication)
Brumagne A (*see* Vandenplas et al). 2001;107:542-7
Bucher C (*see* Bader et al). 2001;107:198 (Letter)
Buckley MG (*see* McEuen et al). 2001;107:842-8
Buerke M (*see* Finotto et al). 2001;107:279-86
Bufe A. Significance of IgE-binding epitopes in allergic disease. 2001;107:219-21 (Editorial)
Bukstein D (*see* O'Brien et al). 2001;107:1107-8 (Letter)
Bunselmeyer B (*see* Böhm et al). 2001;107:393-4 (Letter)
Burge HA (*see* Litonjua et al). 2001;107:41-7
Burgess C (*see* Beasley et al). 2001;107:222-3 (Editorial)
Burks AW (*see* Beyer et al). 2001;107:1077-81
Burks W (*see* Skolnick et al). 2001;107:367-74
Burrows PD (*see* Depiero et al). 2001;107:1051-5
Bush RA, Portnoy JM. The role and abatement of fungal allergens in allergic diseases. 2001;107:S430-40
Bush RK (*see* Eggleston et al). 2001;107:S403-5
Busse W, Raphael GD, Galant S, Kalberg C, Goode-Sellers S, Srebro S, Edwards L, Rickard K. Low-dose fluticasone propionate compared with montelukast for first-line treatment of persistent asthma: a randomized clinical trial. 2001;107:461-8
Busse WW (*see* Borish et al). 2001;107:963-70
Buurman W (*see* Michel et al). 2001;107:797-804

C

Cabanis J-C (*see* Kanny et al). 2001;107:375-8
Calafat J (*see* McEuen et al). 2001;107:842-8
Calderín PM (*see* Porcel et al). 2001;107:743-4
Camacho J (*see* Monteseirín et al). 2001;107:623-6
Cameron L (*see* Christodoulopoulos et al). 2001;107:586-91

Cameron L (*see* Miotto et al). 2001;107:664-70
Campbell DE (*see* Blumenthal et al). 2001;107:258-64
Carey VJ (*see* Litonjua et al). 2001;107:41-7
Caroyer J-M (*see* Vandenplas et al). 2001;107:542-7
Carracedo J (*see* Guerra et al). 2001;107:647-53
Cartier A (*see* Lemière et al). 2001;107:1063-8
Caspari C (*see* Merget et al). 2001;107:707-12
Cassell GH (*see* Martin et al). 2001;107:595-601
Castigli E (*see* Woodward et al). 2001;107:359-66
Chaboillez S (*see* Lemière et al). 2001;107:1063-8
Chakir J, Pagé N, Hamid Q, Laviolette M, Boulet LP, Rouabhia M. Bronchial mucosa produced by tissue engineering: a new tool to study cellular interactions in asthma. 2001;107:36-40 (Rapid publication)
Chan B (*see* Tumas et al). 2001;107:1025-33
Chanez P (*see* Bresciani et al). 2001;107:73-80
Chanez P (*see* Vachier et al). 2001;107:824-31
Chapman M (*see* Vailes et al). 2001;107:641-6
Chapman MD (*see* Arruda et al). 2001;107:419-28
Chapman MD (*see* Gafvelin et al). 2001;107:511-18
Chapman MD (*see* Smith et al). 2001;107:977-84
Chapman MD, Wood RA. THe role and remediation of animal allergens in allergic diseases. 2001;107:S414-21
Charbonnier A-S (*see* Gosset et al). 2001;107:114-22
Chatchatee P, Järvinen K-M, Bardina L, Beyer K, Sampson HA. Indentification of IgE-and IgG-binding epitopes on α_{s1}-casein: differences in patients with persistent and transient cow's milk allergy. 2001;107:379-83
Chauhan A (*see* Krishna et al). 2001;107:1039-45
Chavis C (*see* Vachier et al). 2001;107:824-31
Chesrown SE (*see* Asmus et al). 2001;107:68-72
Chew FT (*see* Goh et al). 2001;107:1082-8
Chida K (*see* Inui et al). 2001;107:337-44
Chida K (*see* Shirai et al). 2001;107:924-5 (Letter)
Chinni LM (*see* Giustizieri et al). 2001;107:871-7
Cho S-H (*see* Kim et al). 2001;107:244-8
Christodoulopoulos P (*see* Miotto et al). 2001;107:664-70
Christodoulopoulos P, Cameron L, Nakamura Y, Lemière C, Muro S, Dugas M, Boulet L-P, Laviolette M, Olivenstein R, Hamid Q. T_H2 cytokine–associated transcription factors in atopic and nonatopic asthma: evidence for differential signal transducer and activator of transcription 6 expression. 2001;107:586-91
Chu HW (*see* Kraft et al). 2001;107:602-6
Chu HW (*see* Martin et al). 2001;107:595-601
Chua KY (*see* Goh et al). 2001;107:1082-8
Clark K (*see* deTineo et al). 2001;107:194-5 (Brief communication)
Codina R, Reichmuth D, Lockey RF, Jaen C. Ferret allergy. 2001;107:927 (Letter)
Colombel J-F (*see* Lamblin et al). 2001;107:739-41
Columbo M, Bochner BS. Human skin mast cells adhere to vitronectin via the $\alpha v\beta_3$ integrin receptor (CD51/CD61). 2001;107:554 (Letter)
Compton SJ (*see* McEuen et al). 2001;107:842-8
Conde J (*see* Monteseirín et al). 2001;107:623-6
Confino-Cohen R (*see* Goldberg and Confino-Dohen). 2001;107:902-6
Conover-Walker MK (*see* Skolnick et al). 2001;107:367-74
Corazza F (*see* Michel et al). 2001;107:797-804
Corradin G (*see* Kettner et al). 2001;107:914-20
Corren J (*see* Borish et al). 2001;107:963-70
Costello RM (*see* Jacoby et al). 2001;107:211-18
Cox G (*see* Parameswaran et al). 2001;107:392-3 (Letter)
Cromwell O (*see* Peterson et al). 2001;107:856-62
Cromwell O (*see* Vailes et al). 2001;107:641-6
Cruikshank WW (*see* Pinsonneault et al). 2001;107:477-82
Cuesta EA (*see* Porcel et al). 2001;107:743-4
Cuevas M (*see* Porcel et al). 2001;107:743-4

D

Dabbagh K (*see* Lee et al). 2001;107:1046-50
Dahl M, Nordestgaard BG, Lange P, Tybjaerg-Hansen A. Fifteen-year follow-up of pulmonary function in individuals heterozygous for the cystic fibrosis phenylalanine-508 deletion. 2001;107:818-23
Dao-Pick T (*see* Lee et al). 2001;107:1046-50
Darwin SR (*see* Htut et al). 2001;107:55-60
David TJ (*see* Arkwright et al). 2001;107:531-4
Davis AE (*see* Binkley and Davis). 2001;107:747-8
Dawson C (*see* Huss et al). 2001;107:48-54
de Gregorio AM (*see* Higuero et al). 2001;107:554-6 (Letter)
de Paulis (*see* Marone et al). 2001;107:22-30 (Rostrum)
De Pità O (*see* Giustizieri et al). 2001;107:871-7
De Pità O (*see* Scala et al). 2001;107:557 (Letter)
Dear J (*see* Turner et al). 2001;107:105-13
Degenne D (*see* Martin et al). 2001;107:747
Degens P (*see* Merget et al). 2001;107:707-12
DeKruyff RH (*see* Blumenthal et al). 2001;107:258-65
Dentener M (*see* Michel et al). 2001;107:797-804
Depiero A, Kaminski DA, Halsey JF, Briles D, Burrows PD, Hostoffer RW. Immunlogic compensation in a patient with a large IgH constant region deletion. 2001;107:1051-5
Derewenda U (*see* Gafvelin et al). 2001;107:511-18
Derewenda U (*see* Smith et al). 2001;107:977-84
Des Prez L, Reed CE, Schwartz LB, Yunginger JW. The 30th anniversary of the American Board of Allergy and Immunology: then and now. 2001;107:592-4
Des Roches A (*see* Bresciani et al). 2001;107:73-80
Desjardin N (*see* Tumas et al). 2001;107:1025-33
Desreumaux P (*see* Lamblin et al). 2001;107:739-41
deTineo ML, Clark K, Baroody FM, Naclerio RM. Lack of evidence for muscarinic type 2 receptor modulation of the human nasonasal reflex. 2001;107:194-5 (Brief communication)
Díaz-Pena JM (*see* García-Ara et al). 2001;107:185-90
Dierkes-Globisch A (*see* Merget et al). 2001;107:707-12
Dijkstra M (*see* Holm et al). 2001;107:627-33
Dinges DF (*see* Shearer et al). 2001;107:165-70
Djukanovic R (*see* Krishna et al). 2001;107:1039-45
Djukanovic R (*see* Redington et al). 2001;107:384-7 (Brief communication)
Dockery DW (*see* Fuhlbrigge et al). 2001;107:61-7
Dodo HW (*see* Viquez et al). 2001;107:713-17
Du Z (*see* Ren et al). 2001;107:322-30
Duddridge M (*see* Pumphrey et al). 2001;107:558 (Letter)
Dugas M (*see* Christodoulopoulos et al). 2001;107:586-91

Durham SR (*see* Walker et al). 2001;107:87-93
Durham SR (*see* Wilson et al). 2001;107:971-6
Durham SR (*see* Ying et al). 2001;107:686-92

E

Easom NJW (*see* McEuen et al). 2001;107:842-8
Edwards L (*see* Busse et al). 2001;107:461-8
Eerola E (*see* Kalliomaki et al). 2001;107:129-34
Eggleston PA (*see* Huss et al). 2001;107:48-54
Eggleston PA, Arruda LK. Ecology and elimination of cockroaches and allergens in the home. 2001;107:S422-9
Eggleston PA, Bush RK. Environmental allergen avoidance: an overview. 2001;107:S403-5
El-Dahr JM (*see* Tanaka et al). 2001;107:744
Eldridge M (*see* Alexis et al). 2001;107:31-5 (Rapid publication)
Emmett A (*see* Matz et al). 2001;107:783-9
Emonet S, Pasche-Koo F, Perin-Minisini M-J, Hauser C. Anaphylaxis to oxybenzone, a frequent constituent of sunscreens. 2001;107:556-7 (Letter)
Empereur F (*see* Kanny et al). 2001;107:375-8
Ernst P (*see* Suissa et al). 2001;107:937-44

F

Fahy O (*see* Miotto et al). 2001;107:664-70
Farce M (*see* Vachier et al). 2001;107:824-31
Farkas H, Mészáros Z, Ivaskevics K, Füst G, Varga L. Esophageal leiomyoma incidentally recognized during an acute attack of hereditary angioneurotic edema. 2001;107:926-7 (Letter)
Ferriani VPL (*see* Arruda et al). 2001;107:419-28
Fiebig H (*see* Peterson et al). 2001;107:856-62
Finkelman FD, Urban JF. The other side of the coin: the protective role of the T_H2 cytokines. 2001;107:772-80
Finotto S, Buerke M, Lingnau K, Schmitt E, Galle PR, Neurath MF. Local administration of antisense phosphorothioate oligonucleotides to the c-kit ligand, stem cell factor, suppresses airway inflammation and IL-4 production in a murine model of asthma. 2001;107:279-86
Fiscus LC, Van Herpen J, Steeber DA, Tedder TF, Tang MLK. L-Selectin is required for the development of airway hyperresponsiveness but not airway inflammation in a murine model of asthma. 2001;107:1019-24
Flagge A (*see* Sander et al). 2001;107:907-13
Florio G (*see* Marone et al). 2001;107:22-30 (Rostrum)
Fokkens W (*see* Holm et al). 2001;107:627-33
Fokkens WJ (*see* Braunstahl et al). 2001;107:469-76
Foreman JC (*see* Turner et al). 2001;107:105-13
Frankel LR (*see* Blumenthal et al). 2001;107:258-64
Fremont S (*see* Kanny et al). 2001;107:375-8
Frew AJ (*see* Redington et al). 2001;107:384-7 (Brief communication)
Frew AJ, Smith HE. Sublingual immunotherapy. 2001;107:441-4
Frezzolini A (*see* Giustizieri et al). 2001;107:871-7
Frutiger S (*see* Kettner et al). 2001;107:914-20
Fryer AD (*see* Jacoby et al). 2001;107:211-18
Fuhlbrigge AL, Kitch BT, Paltiel AD, Kuntz KM, Neumann PJ, Dockery DW, Weiss ST. FEV_1 is associated with risk of asthma attacks in a pediatric population. 2001;107:61-7
Fujikura T, Shimosawa T, Yakuo I. Regulatory effect of histamine H1 receptor antagonist on the expression of messenger RNA encoding CC chemokines in the human nasal mucosa. 2001;107:123-8
Füst G (*see* Farkas et al). 2001;107:926-7 (Letter)

G

Gafvelin G (*see* Smith et al). 2001;107:977-84
Gafvelin G, Johansson E, Lundin A, Smith AM, Chapman MD, Benjamin DC, Derewenda U, van Hage-Hamsten M. Cross-reactivity studies of a new group 2 allergen from the dust mite *Glycyphagus domesticus*, Gly d 2, and group 2 allergens from *Dermatophagoides pteronyssinus*, *Lepidoglyphus destructor*, and *Tyrophagus putrescentiae* with recombinant allergens. 2001;107:511-18
Galant S (*see* Busse et al). 2001;107:461-8
Galavotti R (*see* Malerba et al). 2001;107:654-8
Galle PR (*see* Finotto et al). 2001;107:279-86
García-Ara C, Boyano-Martínez T, Díaz-Pena JM, Martín-Muñoz F, Reche-Frutos M, Martín-Esteban M. Specific IgE levels in the diagnosis of immediate hypersensitivity to cows' milk protein in the infant. 2001;107:185-90
Gautrin D (*see* Archambault et al). 2001;107:921-3
Geha RS (*see* Oettgen et al). 2001;107:429-40. Correction 2001;107:591
Geha RS (*see* Woodward et al). 2001;107:359-66
Geha RS, Meltzer EO. Desloratadine: a new, nonsedating, oral antihistamine. 2001;107:752-62
Geiger E (*see* Wollenberg et al). 2001;107:519-25
Gelfand EW (*see* Lee et al). 2001;107:945-57
Georas SN (*see* Saminario et al). 2001;107:143-52
Gerbauz V (*see* Kanny et al). 2001;107:375-8
Gereda JE, Klinnert MD, Price MR, Leung DYM, Liu AH. Metropolitan home living conditions associated with indoor endotoxin levels. 2001;107:790-6
Gergen PJ. Understanding the economic burden of asthma. 2001;107:S445-8
Gevaert P (*see* Bachert et al). 2001;107:607-14
Ghezzo H (*see* Archambault et al). 2001;107:921-3
Giani M (*see* Scala et al). 2001;107:557 (Letter)
Giannetti A (*see* Giustizieri et al). 2001;107:871-7
Gill GW (*see* Htut et al). 2001;107:55-60
Girolomoni G (*see* Giustizieri et al). 2001;107:871-7
Giustizieri ML, Mascia F, Frezzolini A, De Pità O, Chinni LM, Giannetti A, Girolomoni G, Pastore S. Keratinocytes from patients with atopic dermatitis and psoriasis show a distinct chemokine production profile in response to T cell–derived cytokines. 2001;107:871-7
Gleich GJ (*see* Piliponsky et al). 2001;107:993-1000
Godard P (*see* Bresciani et al). 2001;107:73-80
Godard P (*see* Vachier et al). 2001;107:824-31
Goh DLM, Chua KY, Chew FT, Seow TK, Ou KL, Yi FC, Lee BW. Immunochemical characterization of edible bird's nest allergens. 2001;107:1082-8
Gold DR (*see* Lewis et al). 2001;107:615-22

Gold DR (*see* Litonjua et al). 2001;107:41-7
Goldberg A, Confino-Cohen R. Maintenance venom immunotherapy administered at 3-month intervals is both safe and efficacious. 2001;107:902-6
Golden DBK, Kagey-Sobotka A, Norman PS, Hamilton RG, Lichtenstein LM. Insect sting allergy with negative venom skin test responses. 2001;107:897-901
Golden DBK. Fatal insect allergy after discontinuation of venom immunotherapy. 2001;107:925-6 (Letter)
Gollnick H (*see* Ambach et al). 2001;107:878-86
Gómez CM (*see* Higuero et al). 2001;107:554-6 (Letter)
Gon Y (*see* Hashimoto et al). 2001;107:1001-8
Goode-Sellers S (*see* Busse et al). 2001;107:461-8
Gosset P, Lamblin-Degros C, Tillie-Leblond I, Charbonnier A-S, Joseph M, Wallaert B, Kochan JP, Tonnel A-B. Modulation of high-affinity IgE receptor expression in blood monocytes: opposite effect of IL-4 and glucocorticoids. 2001;107:114-22
Gould HJ (*see* Ying et al). 2001;107:686-92
Granlund H (*see* Remitz et al). 2001;107:196-7 (Letter)
Gravel S (*see* Powell et al). 2001;107:272-8
Grimes M (*see* Ren et al). 2001;107:322-30
Gu X (*see* Simons et al). 2001;107:526-30
Guerra EC (*see* Scala et al). 2001;107:557 (Letter)
Guerra F, Carracedo J, Solana-Lara R, Sánchez-Guijo P, Ramírez R. T_H2 lumphocytes from atopic patients treated with immunotherapy undergo rapid apoptosis after culture with specific allergens. 2001;107:647-53
Guo J (*see* Saminario et al). 2001;107:143-52

H

Haahtela T (*see* Amin et al). 2001;107:249-57
Haberstok J (*see* Wollenberg et al). 2001;107:519-25
Hagen S (*see* Peterson et al). 2001;107:856-62
Halder TM (*see* Sander et al). 2001;107:907-13
Hales BJ (*see* Smith et al). 2001;107:985-92
Hallden G (*see* Lönnkvist et al). 2001;107:812-17
Halonen M (*see* Schweiger et al). 2001;107:505-10
Halsey JF (*see* Depiero et al). 2001;107:1051-5
Hamid Q (*see* Chakir et al). 2001;107:36-40 (Rapid publication)
Hamid Q (*see* Christodoulopoulos et al). 2001;107:586-91
Hamid Q (*see* Miotto et al). 2001;107:664-70
Hamid Q (*see* Soussi-Gounni et al). 2001;107:575-82
Hamid QA (*see* Hoshino et al). 2001;107:1034-8
Hamilton RG (*see* Golden et al). 2001;107:897-901
Hamilton RG (*see* Kurtz et al). 2001;107:178-84
Hamilton RG (*see* Peebles et al). 2001;107:805-11
Hamilton RG (*see* Primeau et al). 2001;107:958-62
Hara T (*see* Nakao et al). 2001;107:499-504
Haraldsson P-O (*see* Blomqvist et al). 2001;107:224-8
Hargreave F (*see* Parameswaran et al). 2001;107:392-3 (Letter)
Hari Y (*see* Müller et al). 2001;107:81-6
Hartikainen A-L (*see* Xu et al). 2001;107:732-3
Hashimoto D (*see* Shirai et al). 2001;107:924-5 (Letter)
Hashimoto M (*see* Tanaka et al). 2001;107:331-6
Hashimoto S, Gon Y, Takeshita I, Maruoka S, Horie T. IL-4 and IL-13 induce myofibroblastic phenotype of human lung fibroblasts through c-Jun NH_2-terminal kinase–dependent pathway. 2001;107:1001-8
Hauk PJ, Leung DYM. Tacrolimus (FK506): new treatment approach in superantigen-associated diseases like atopic dermatitis? 2001;107:391-2 (Letter)
Hauser C (*see* Emonet et al). 2001;107:556-7 (Letter)
Haustein D (*see* Scheurer et al). 2001;107:724-31
Hawksworth R (*see* Krishna et al). 2001;107:1039-45
Hedlin G (*see* Lönnkvist et al). 2001;107:812-17
Helfe SL (*see* Taylor and Helfe). 2001;107:765-71
Hellman C (*see* Lönnkvist et al). 2001;107:812-17
Hendeles L (*see* Asmus et al). 2001;107:68-72
Herskind AM (*see* Jacobsen et al). 2001;107:659-63
Hickey VL (*see* Beezhold et al). 2001;107:1069-76
Higenbottam TW (*see* Htut et al). 2001;107:55-60
Higuero NC, Zabala BB, Villamuza YG, Gómez CM, de Gregorio AM, Sanchez CS. Occupational asthma caused by IgE-mediated reactivity to *Antiaris* wood dust. 2001;107:554-6 (Letter)
Hirai K (*see* Yamashita et al). 2001;107:135-42
Hodges E (*see* Bakakos et al). 2001;107:1089-94
Hohansson SGO (*see* Bachert et al). 2001;107:607-14
Holgate S (*see* Krishna et al). 2001;107:1039-45
Holgate ST (*see* Holloway et al). 2001;107:1009-18
Holgate ST (*see* Redington et al). 2001;107:384-7 (Brief communication)
Hollenberg MD (*see* Vliagoftis et al). 2001;107:679-85
Holloway JA, Holgate ST, Semper AE. Expression of the high-affinity IgE receptor on peripheral blood dendritic cells: differential binding of IgE in atopic asthma. 2001;107:1009-18
Holm A, Dijkstra M, Kleinjan A, Severijnen L-a, Boks S, Mulder P, Fokkens W. Fluticasone propionate aqueous nasal spray reduces inflammatory cells in unchallenged allergic nasal mucosa: effects of single allergen challenge. 2001;107:627-33
Holt S (*see* Beasley et al). 2001;107:222-3 (Editorial)
Holtappels G (*see* Bachert et al). 2001;107:607-14
Hoogsteden HC (*see* Braunstahl et al). 2001;107:469-76
Horie T (*see* Hashimoto et al). 2001;107:1001-8
Horiuchi T (*see* Yamashita et al). 2001;107:135-42
Horner A (*see* Weiss et al). 2001;107:634-40
Hosaki Y (*see* Mitsunobu et al). 2001;107:492-8
Hoshino M, Nakamura Y, Hamid QA. Gene expression of vascular endothelial growth factor and its receptors and angiogenesis in bronchial asthma. 2001;107:1034-8
Hoshino M, Takahashi M, Aoike N. Expression of vascular endothelial growth factor, basic fibroblast growth factor, and angiogenin immunoreactivity in asthmatic airways and its relationship to angiogenesis. 2001;107:295-301
Hostoffer RW (*see* Depiero et al). 2001;107:1051-5
Howarth PH (*see* Redington et al). 2001;107:384-7 (Brief communication)
Howell WM (*see* Bakakos et al). 2001;107:1089-94
Hozic N (*see* Smith et al). 2001;107:977-84
Htut T, Higenbottam TW, Gill GW, Darwin SR, Anderson PB, Syed N. Eradication of house mite from homes of atopic asthmatic subjects: a double-blind trial. 2001;107:55-60

Huang C-K (*see* Li et al). 2001;107:693-702
Hudson SA (*see* Tachimoto et al). 2001;107:302-9
Hughes GJ (*see* Kettner et al). 2001;107:914-20
Humbert M (*see* Ying et al). 2001;107:686-92
Husby S (*see* Jacobsen et al). 2001;107:659-63
Huss K, Adkinson NF Jr, Eggleston PA, Dawson C, Van Natta ML, Hamilton RG. House dust mite and cockroach exposure are strong risk factors for positive allergy skin test responses in the Childhood Asthma Management Program. 2001;107:48-54
Hwang P (*see* Blumenthal et al). 2001;107:258-65

I

Ihara K (*see* Nakao et al). 2001;107:499-504
Ikezawa Z (*see* Aihara et al). 2001;107:1100-5
IL-4R Asthma Study Group (*see* Borish et al). 2001;107:963-70
Imani F (*see* Sanders et al). 2001;107:235-43
Inaoka M (*see* Nakatani et at). 2001;107:353-8
Infante-Rivard C (*see* Archambault et al). 2001;107:921-3
Inui N, Chida K, Suda T, Nakamura H. T_H1/T_H2 and T_C1/T_C2 profiles in peripheral blood and bronchoalveolar lavage fluid cells in pulmonary sarcoidosis. 2001;107:337-44
Irani A-M (*see* Ren et al). 2001;107:322-30
Ishinaga H (*see* Takeuchi et al). 2001;107:310-4
Isolauri E (*see* Kalliomaki et al). 2001;107:129-34
Ivaskevics K (*see* Farkas et al). 2001;107:926-7 (Letter)

J

Jaakkola JK (*see* Apelberg et al). 2001;107:455-60
Jacobsen HP, Herskind AM, Nielsen BW, Husby S. IgE in unselected like-sexed monozygotic and dizygotic twins at birth and at 6 to 9 years of age: high but dissimilar genetic influence on IgE levels. 2001;107:659-63
Jacobson MR (*see* Wilson et al). 2001;107:971-6
Jacoby DB, Costello RM, Fryer AD. Eosinophil recruitment to the airway nerves. 2001;107:211-18
Jaeger B (*see* Schmid-Ott et al). 2001;107:171-7
Jaen C (*see* Codina et al). 2001;107:927 (Letter)
Jamart J (*see* Vandenplas et al). 2001;107:542-7
Jardieu P (*see* Tumas et al). 2001;107:1025-33
Jarnicki AG (*see* Smith et al). 2001;107:985-92
Järvinen K-M (*see* Chatchatee et al). 2001;107:379-83
Jävelin M-R (*see* Xu et al). 2001;107:732-3
Johansson E (*see* Gafvelin et al). 2001;107:511-18
Joseph M (*see* Gosset et al). 2001;107:114-22

K

Kaburagi Y (*see* Nakatani et al). 2001;107:353-8
Kagey-Sobotka A (*see* Golden et al). 2001;107:897-901
Kajosaari M (*see* Siltanen et al). 2001;107:229-34
Kakinuma T, Nakamura K, Wakugawa M, Mitsui H, Tada Y, Saeki H, Torii H, Asahina A, Onai N, Matsushima K, Tamaki K. Thymus and activation-regulated chemokine in atopic dermatitis: serum thymus and activation-regulated chemokine level is closely related with disease activity. 2001;107:535-41
Kalberg C (*see* Busse et al). 2001;107:461-8
Kalberg C (*see* Matz et al). 2001;107:783-9
Kalliomäki M, Kirjavainen P, Eerola E, Kero P, Salminen S, Isolauri E. Distinct patterns of neonatal gut microflora in infants in whom atopy was and was not developing. 2001;107:129-34
Kambe M (*see* Ren et al). 2001;107:322-30
Kambe N (*see* Min et al). 2001;107:315-21
Kambe N (*see* Ren et al). 2001;107:322-30
Kaminski DA (*see* Depiero et al). 2001;107:1051-5
Kanny G, Gerbaux V, Olszewski A, Frémont S, Empereur F, Nabet F, Cabanis J-C, Moneret-Vautrin D-A. No correlation between wine intolerance and histamine content of wine. 2001;107:375-8
Kaplan AP (*see* Kikuchi et al). 2001;107:1056-62
Kapp A (*see* Schmid-Ott et al). 2001;107:171-7
Kästner M (*see* Scheurer et al). 2001;107:724-31
Kawashima R (*see* Yamashita et al). 2001;107:135-42
Kay AB (*see* Ying et al). 2001;107:686-92
Kelkar PS, Ten RM. Association of humoral immunodeficiency, cleidocranial dysplasia, and von Willebrand's disease in a family cluster. 2001;107:742
Kennedy J (*see* Binkley et al). 2001;107:887-90
Keramidaris E, Merson TD, Steeber DA, Tedder TF, Tang MLK. L-selectin and intercellular adhesion molecule 1 mediate lymphocyte migration to the inflamed airway/lung during an allergic inflammatory response in an animal model of asthma. 2001;107:734-8
Kero P (*see* Kalliomaki et al). 2001;107:129-34
Kettner A, Hughes GJ, Frutiger S, Astori M, Roggero M, Spertini F, Corradin G. Api m 6: a new bee venom allergen. 2001;107:914-20
Khair OA (*see* Bayram et al). 2001;107:287-94
Kikuchi Y, Kaplan AP. Mechanisms of autoimmune activation of basophils in chronic urticaria. 2001;107:1056-62
Kim H-A (*see* Kim et al). 2001;107:244-8
Kim H-Y (*see* Kim et al). 2001;107:1095-9
Kim H-Y, Park H-S, Kim Y-K, Son J-W, Kim H-A, Suh J-H, Nahm D-H, Cho S-H, Min K-U, Kim Y-Y. Identification of IgE-binding components of citrus red mite in sera of patients with citrus red mite–induced asthma. 2001;107:244-8
Kim S (*see* Lee et al). 2001;107:1046-50
Kim S-S, Park H-S, Kim H-Y, Lee S-K, Nahm D-H. Anaphylaxis caused by the new ant, *Pachycondyla chinensis:* demonstration of specific IgE and IgE-binding components. 2001;107:1095-9
Kim Y-K (*see* Kim et al). 2001;107:244-8
Kim Y-Y (*see* Kim et al). 2001;107:244-8
King N (*see* Binkley et al). 2001;107:887-90
Kinukawa N (*see* Nakao et al). 2001;107:499-504
Kips JC (*see* Tournoy et al). 2001;107:483-91
Kirjavainen P (*see* Kalliomaki et al). 2001;107:129-34
Kishioka C (*see* Takeuchi et al). 2001;107:310-4
Kitch BT (*see* Fuhlbrigge et al). 2001;107:61-7
Kitching A (*see* Parameswaran et al). 2001;107:392-3 (Letter)
Kleiner G (*see* Li et al). 2001;107:693-702
KleinJan A (*see* Braunstahl et al). 2001;107:469-76

Kleinjan A (*see* Holm et al). 2001;107:627-33
Klinnert MD (*see* Gereda et al). 2001;107:790-6
Kniffka A (*see* Merget et al). 2001;107:707-12
Knol EF (*see* McEuen et al). 2001;107:842-8
Koch H (*see* Schmid-Ott et al). 2001;107:171-1177
Kochan JP (*see* Gosset et al). 2001;107:114-22
Koerner CB (*see* Skolnick et al). 2001;107:367-74
Kontolemos M (*see* Soussi-Gounni et al). 2001;107:575-82
Kotoyori T (*see* Aihara et al). 2001;107:1100-5
Kraft M (*see* Martin et al). 2001;107:595-601
Kraft M, Lewis C, Pham D, Chu HW. IL-4, IL-13, and dexamethasone augment fibroblast proliferation in asthma. 2001;107:602-6
Kraft S (*see* Panhans-Groβ et al). 2001;107:345-62
Krishna MT, Chauhan A, Little L, Sampson K, Hawksworth R, Mant T, Djukanovic R, Lee T, Holgate S. Inhibition of mast cell tryptase by inhaled APC 366 attenuates allergen-induced late-phase airway obstruction in asthma. 2001;107:1039-45
Kubo C (*see* Oyama et al). 2001;107:153-9
Kulzer R (*see* Merget et al). 2001;107:707-12
Kuntz KM (*see* Fuhlbrigge et al). 2001;107:61-7
Kurtz KM, Hamilton RG, Schaefer JA, Adkinson NF Jr. A hooded exposure chamber method for semiquantitative latex aeroallergen challenge. 2001;107:178-84
Kusuhara K (*see* Nakao et al). 2001;107:499-504
Kutting B (*see* Luger et al). 2001;107:928-(Letter reply)
Kyllönen H (*see* Remitz et al). 2001;107:196-7 (Letter)

L

Laberge S (*see* Pinsonneault et al). 2001;107:477-82
Lacy P, Logan MR, Bablitz B, Moqbel R. Fusion protein vesicle-associated membrane protein 2 is implicated in IFN-γ–induced piecemeal degranulation in human eosinophils from atopic individuals. 2001;107:671-8. Correction 2001;107:1008
Lafitte JJ (*see* Miotto et al). 2001;107:664-70
Lamblin C, Desreumaux P, Colombel J-F, Tonnel A-B, Wallaert B. Overexpression of IL-10 mRNA in gut mucosa of patients with allergic asthma. 2001;107:739-41
Lamblin-Degros C (*see* Gosset et al). 2001;107:114-22
Lamprecht F (*see* Schmid-Ott et al). 2001;107:171-7
Lange P (*see* Dahl et al). 2001;107:818-23
Lanham S (*see* Bakakos et al). 2001;107:1089-94
Larbanois A (*see* Vandenplas et al). 2001;107:542-7
Lauciello MC (*see* Malerba et al). 2001;107:654-8
Lavens-Phillips S (*see* Saini et al). 2001;107:832-41
Laviolette M (*see* Chakir et al). 2001;107:36-40 (Rapid publication)
Laviolette M (*see* Christodoulopoulos et al). 2001;107:586-91
Lee B-N (*see* Shearer et al). 2001;107:165-70
Lee BW (*see* Goh et al). 2001;107:1082-8
Lee H-M, Malm L, Dabbagh K, Dao-Pick T, Ueki IF, Kim S, Shim JJ, Nadel JA. Epidermal growth factor receptor signaling mediates regranulation of rat nasal goblet cells. 2001;107:1046-50
Lee HK (*see* Lee et al). 2001;107:1106 (Letter)
Lee JJ (*see* Lee et al). 2001;107:945-57
Lee NA, Gelfand EW, Lee JJ. Pulmonary T cells and eosinophils: coconspirators or independent triggers of allergic respiratory pathology? 2001;107:945-57
Lee S-K (*see* Kim et al). 2001;107:1095-9
Lee SY (*see* Li et al). 2001;107:693-702
Lee T (*see* Krishna et al). 2001;107:1039-45
Lee YC, Lee HK. Vascular endothelial growth factor in patients with acute asthma. 2001;107:1106 (Letter)
Lehrer SB (*see* Tanaka et al). 2001;107:744
Lemière C (*see* Christodoulopoulos et al). 2001;107:586-91
Lemière C, Chaboillez S, Malo J-L, Cartier A. Changes in sputum cell counts after exposure to occupational agents: what do they mean? 2001;107:1063-8
León F (*see* Porcel et al). 2001;107:743-4
Leung DYM (*see* Gereda et al). 2001;107:790-6
Leung DYM (*see* Hauk and Leung). 2001;107:391-2 (Letter)
Leung DYM, Nelson HS, Szefler SJ. The editors' choice. 2001;107:1-2. 2001;107:201-2. 2001;107:417-18. 2001;107:565-6. 2001;107:763-4. 2001;107:935-6
Leung DYM. Launching JACI into the new millennium: outer space and cyberspace. 2001;107:21 (Editorial)
Levi-Schaffer F (*see* Piliponsky et al). 2001;107:993-1000
Lewis C (*see* Kraft et al). 2001;107:602-6
Lewis SA, Weiss ST, Platts-Mills TAE, Syring M, Gold DR. Association of specific allergen sensitization with socioeconomic factors and allergic disease in a population of Boston women. 2001;107:615-22
Li X-M (*see* Beyer et al). 2001;107:1077-81
Li X-M, Kleiner G, Huang C-K, Lee SY, Schofield B, Soter NA, Sampson HA. Murine model of atopic dermatitis associated with food hypersensitivity. 2001;107:693-702
Li Y (*see* Ren et al). 2001;107:322-30
Liang J (*see* Asmus et al). 2001;107:68-72
Lichtenstein LM (*see* Golden et al). 2001;107:897-901
Lichtenstein LM (*see* Schroeder et al). 2001;107:265-71
Lie AH (*see* Gereda et al). 2001;107:790-6
Light WC. Insect sting fatality 9 years after venom treatment (venom allergy, fatality). 2001;107:925 (Letter)
Lima MT (*see* Walker et al). 2001;107:87-93
Lingnau K (*see* Finotto et al). 2001;107:279-86
Lipworth BJ. Fluticasone propionate/salmeterol combination. 2001;107:746 (Letter)
Liss GM (*see* Tarlo and Liss). 2001;107:583-5 (Editorial)
Litonjua AA, Carey VJ, Burge HA, Weiss ST, Gold DR. Exposure to cockroach allergen in the home is associated with incident doctor-diagnosed asthma and recurrent wheezing. 2001;107:41-7
Little L (*see* Krishna et al). 2001;107:1039-45
Liu MC (*see* Peebles et al). 2001;107:805-11
Liu MC (*see* Schroeder et al). 2001;107:265-71
Locanto M (*see* Scala et al). 2001;107:557 (Letter)
Lockey RF (*see* Codina et al). 2001;107:927 (Letter)
Logan MR (*see* Lacy et al). 2001;107:671-8. Correction 2001;107:1008
Lohman C (*see* Schweiger et al). 2001;107:505-10
Lönnkvist K, Hellman C, Lundahl J, Halldén G, Hedlin G.

Eosinophil markers in blood, serum, and urine for monitoring the clinical course in childhood asthma: impact of budesonide treatment and withdrawal. 2001;107:812-17
Luger RA (*see* Böhm et al). 2001;107:393-4 (Letter)
Luger T (*see* Brehler et al). 2001;107:928-9 (Letter reply)
Lugg DJ (*see* Shearer et al). 2001;107:160-4
Lundahl J (*see* Lönnkvist et al). 2001;107:812-17
Lundbald L (*see* Blomqvist et al). 2001;107:224-8
Lundin A (*see* Gafvelin et al). 2001;107:511-18
Luster AD (*see* Miotto et al). 2001;107:664-70

M

MacGlashan DW Jr (*see* Saini et al). 2001;107:832-41
Mackay IS (*see* Wilson et al). 2001;107:971-6
Madden J (*see* Redington et al). 2001;107:384-7 (Brief communication)
Majima Y (*see* Takeuchi et al). 2001;107:310-4
Majori M (*see* Vachier et al). 2001;107:824-31
Malerba G, Patuzzo C, Trabetti E, Lauciello MC, Galavotti R, Pescollderungg L, Whalen MB, Zanoni G, Martinati LC, Boner AL, Pignatti PF. Chromosome 14 linkage analysis and mutation study of 2 serpin genes in allergic asthmatic families. 2001;107:654-8
Malm L (*see* Lee et al). 2001;107:1046-50
Malmberg H (*see* Amin et al). 2001;107:249-57
Malo J-L (*see* Archambault et al). 2001;107:921-3
Malo J-L (*see* Lemière et al). 2001;107:1063-8
Mant T (*see* Krishna et al). 2001;107:1039-45
Mapp CE (*see* Miotto et al). 2001;107:664-70
Marone G, Florio G, Petraroli A, de Paulis A. Dysregulation of the IgE/FcεRI network in HIV-1 infection. 2001;107:22-30 (Rostrum)
Martin L, Degenne D, Toutain A, Ponard D, Watier H. Hereditary angioedema type III: an additional French pedigree with autosomal dominant transmission. 2001;107:747 (Letter)
Martin RJ, Kraft M, Chu HW, Berns EA, Cassell GH. A link between chronic asthma and chronic infection. 2001;107:595-601
Martín-Esteban M (*see* García-Ara et al). 2001;107:185-90
Martín-Muñoz F (*see* García-Ara et al). 2001;107:185-90
Martinati LC (*see* Malerba et al). 2001;107:654-8
Martinez FD (*see* Schweiger et al). 2001;107:505-10
Martinez FD. Links between pediatric and adult asthma. 2001;107:S449-55
Maruoka S (*see* Hashimoto et al). 2001;107:1001-8
Mascia F (*see* Giustizieri et al). 2001;107:871-7
Matsushima K (*see* Kakinuma et al). 2001;107:535-41
Matz J, Emmett A, Rickard K, Kalberg C. Addition of salmeterol to low-dose fluticasone versus higher-dose fluticasone: an analysis of asthma exacerbations. 2001;107:783-9
Mazer B (*see* Pinsonneault et al). 2001;107:477-82
McDermott LJ (*see* Mohanty et al). 2001;107:849-55
McEuen AR, Calafat J, Compton SJ, Easom NJW, Buckley MG, Knol EF, Walls AF. Mass, charge, and subcellular localization of a unique secretory product identified by the basophil-specific antibody BB1. 2001;107:842-8
Meiser JB, Nelson HS. Comparing conventional and acetone-precipitated dog allergen extract skin testing. 2001;107:744-5
Meltzer EO (*see* Geha and Meltzer). 2001;107:752-62
Meng Q (*see* Ying et al). 2001;107:686-92
Menz G (*see* Ying et al). 2001;107:686-92
Merget R (*see* Sander et al). 2001;107:907-13
Merget R, Caspari C, Dierkes-Globisch A, Kulzer R, Breitstadt R, Kniffka A, Degens P, Schultze-Werninghaus G. Effectiveness of a medical surveillance program for the prevention of occupational asthma caused by platinum salts: a nested case-control study. 2001;107:707-12
Merson TD (*see* Keramidaris et al). 2001;107:734-8
Mészáros Z (*see* Farkas et al). 2001;107:926-7 (Letter)
Meyer HE (*see* Sander et al). 2001;107:907-13
Meyer JW (*see* Stempel et al). 2001;107:94-8
Michel O, Dentener M, Corazza F, Buurman W, Rylander R. Healthy subjects express differences in clinical responses to inhaled lipopolysaccharide that are related with inflammation and with atopy. 2001;107:797-804
Mifune T (*see* Mitsunobu et al). 2001;107:492-8
Min H-K, Kambe N, Schwartz LB. Human mouse mast cell protease 7–like tryptase genes are pseudogenes. 2001;107:315-21
Min K-U (*see* Kim et al). 2001;107:244-8
Miotto D, Christodoulopoulos P, Olivenstein R, Taha R, Cameron L, Tsicopoulos A, Tonnel A-B, Fahy O, Lafitte JJ, Luster AD, Wallaert B, Mapp CE, Hamid Q. Expression of IFN-γ–inducible protein; monocyte chemotactic proteins 1, 3, and 4; and eotaxin in T_H1- and T_H2-mediated lung diseases. 2001;107:664-70
Mitakakis TZ, Barnes C, Tovey ER. Spore germination increases allergen release from *Alternaria*. 2001;107:388-9 (Brief communication)
Mitsui H (*see* Kakinuma et al). 2001;107:535-41
Mitsunobu F, Mifune T, Hosaki Y, Ashida K, Tsugeno H, Okamoto M, Takata S, Tanizaki Y. Enhanced production of leukotrienes by peripheral leukocytes and specific IgE antibodies in patients with chronic obstructive pulmonary disease. 2001;107:492-8
Miyasaka T (*see* Yamashita et al). 2001;107:135-42
Miyazaki N (*see* Tanaka et al). 2001;107:331-6
Mizoguchi E (*see* Woodward et al). 2001;107:359-66
Mohanty JG, Raible DG, McDermott LJ, Pelleg A, Schulman ES. Effects of purine and pyrimidine nucleotides on intracellular Ca^{2+} in human eosinophils: activation of purinergic P2Y receptors. 2001;107:849-55
Moneret-Vautrin D-A (*see* Kanny et al). 2001;107:375-8
Monteseirín J, Bonilla I, Camacho J, Conde J, Sobrino F. Elevated secretion of myeloperoxidase by neutrophils from asthmatic patients: the effect of immunotherapy. 2001;107:623-6
Moqbel R (*see* Lacy et al). 2001;107:671-8. Correction 2001;107:1008
Moqbel R (*see* Vliagoftis et al). 2001;107:679-85
Morgan MS (*see* Arlian et al). 2001;107:99-104
Morrow E (*see* Beyer et al). 2001;107:1077-81
Moss CT (*see* Bakakos et al). 2001;107:1089-94
Mukaida N (*see* Nakatani et al). 2001;107:353-8

Mulder P (*see* Holm et al). 2001;107:627-33
Müller U, Hari Y, Berchtold E. Premedication with antihistamines may enhance efficacy of specific-allergen immunotherapy. 2001;107:81-6
Mullington JM (*see* Shearer et al). 2001;107:165-70
Muñoz-Furlong A (*see* Bock et al). 2001;107:191-3
Muro S (*see* Christodoulopoulos et al). 2001;107:586-91

N

Nabet F (*see* Kanny et al). 2001;107:375-8
Naclerio RM (*see* deTineo et al). 2001;107:194-5 (Brief communication)
Nadel JA (*see* Lee et al). 2001;107:1046-50
Nahm D-H (*see* Kim et al). 2001;107:244-8. 2001;107:1095-9
Nakajima Y (*see* Yamashita et al). 2001;107:135-42
Nakamura H (*see* Inui et al). 2001;107:337-44
Nakamura H (*see* Shirai et al). 2001;107:924-5 (Letter)
Nakamura K (*see* Kakinuma et al). 2001;107:535-41
Nakamura Y (*see* Christodoulopoulos et al). 2001;107:586-91
Nakamura Y (*see* Hoshino et al). 2001;107:1034-8
Nakano J (*see* Yamashita et al). 2001;107:135-42
Nakao F, Ihara K, Kusuhara K, Sasaki Y, Kinukawa N, Takabayashi A, Nishima S, Hara T. Association of IFN-γ and IFN regulatory factor 1 polymorphisms with childhood atopic asthma. 2001;107:499-504
Nakatani T, Kaburagi Y, Shimada Y, Inaoki M, Takehara K, Mukaida N, Sato S. CCR4+ memory CD4+T lymphocytes are increased in peripheral blood and lesional skin from patients with atopic dermatitis. 2001;107:353-8
Naspitz CK, Tinkelman DG. Barriers to measuring and achieving optimal outcomes in pediatric asthma. 2001;107:S482-4
Nathalie P (*see* Chakir et al). 2001;107:36-40 (Rapid publication)
Neal JS (*see* Arlian et al). 2001;107:99-104
Nelson HS (*see* Borish et al). 2001;107:963-70
Nelson HS (*see* Leung et al). 2001;107:1-2. 2001;107:417-18. 2001;107:565-6. 2001;107:763-4
Nelson HS (*see* Meiser et al). 2001;107:744-5
Nelson HS. Advair: combination treatment with fluticasone propionate/salmeterol in the treatment of asthma. 2001;107:398-416 (New products)
Nelson HS. Fluticasone propionate/salmeterol combination. 2001;107:746 (Letter reply)
Nelson HS. What is "more effective asthma control"? 2001;107:1108 (Letter reply)
Neumann PJ (*see* Fuhlbrigge et al). 2001;107:61-7
Neurath MF (*see* Finotto et al). 2001;107:279-86
Nickolls PM (*see* Shearer et al). 2001;107:160-4
Nielsen BW (*see* Jacobsen et al). 2001;107:659-63
Niggemann B (*see* Roehr et al). 2001;107:548-53. Correction 2001;107:796
Nishima S (*see* Nakao et al). 2001;107:499-504
Nordestgaard BG (*see* Dahl et al). 2001;107:818-23
Norman PS (*see* Golden et al). 2001;107:897-901
Norton J (*see* Pumphrey et al). 2001;107:558 (Letter)
Nouri-Aria KT (*see* Wilson et al). 2001;107:971-6
Novak N (*see* Panhans-Groβ et al). 2001;107:345-52

O

O'Brein F (*see* Wilson et al). 2001;107:971-6
O'Brien K, Bukstein D. What is "more effective asthma control"? 2001;107:1107-8 (Letter)
O'Byrne PM (*see* Tang et al). 2001;107:863-70
Oashi K (*see* Tanaka et al). 2001;107:331-6
Ochs HD (*see* Shearer et al). 2001;107:160-4
Oettgen HC (*see* Woodward et al). 2001;107:359-66
Oettgen HC, Geha RS. IgE regulation and roles in asthma pathogenesis. 2001;107:429-40. Correction 2001;107:591
Ohmichi M (*see* Tanaka et al). 2001;107:331-6
Ohnuma S (*see* Aihara et al). 2001;107:1100-5
Ohta K (*see* Yamashita et al). 2001;107:135-42
Okamoto M (*see* Mitsunobu et al). 2001;107:492-8
Olivenstein R (*see* Christodoulopoulos et al). 2001;107:586-91
Olivenstein R (*see* Miotto et al). 2001;107:664-70
Olszewski A (*see* Kanny et al). 2001;107:375-8
Onai N (*see* Kakinuma et al). 2001;107:535-41
Osawa S (*see* Shirai et al). 2001;107:924-5 (Letter)
Osuna H (*see* Aihara et al). 2001;107:1100-5
Ou KL (*see* Gu[illegible] et al). 2001;107:1082-8
Overbeek SE (*see* Braunstahl et al). 2001;107:469-76
Oyama N, Sudo N, Sogawa H, Kubo C. Antibiotic use during infancy promotes a shift in the T_H1/T_H2 balance toward T_H2-dominant immunity in mice. 2001;107:153-9

P

Pajno GB (*see* Walker et al). 2001;107:87-93
Pajno GB (*see* Wilson et al). 2001;107:971-6
Paltiel AD (*see* Fuhlbrigge et al). 2001;107:61-7
Panhans-Groβ A, Novak N, Kraft S, Bieber T. Human epidermal Langerhans' cells are targets for the immunosuppressive macrolide tacrolimus (FK506). 2001;107:345-52
Paradis L (*see* Bresciani et al). 2001;107:73-80
Parameswaran K, Cox G, Kitching A, Hargreave F. Coronary and laryngeal spasm provoked by methacholine inhalation. 2001;107:392-3 (Letter)
Park H-S (*see* Kim et al). 2001;107:244-8. 2001;107:1095-9
Pasche-Koo F (*see* Emonet et al) 2001;107:556-7 (Letter)
Pastore S (*see* Giustizieri et al). 2001;107:871-7
Pastorello EA (*see* Scheurer et al). 2001;107:724-31
Patuzzo C (*see* Malerba et al). 2001;107:654-8
Pauwels RA (*see* Tournoy et al). 2001;107:483-91
Peden DA (*see* Alexis et al). 2001;107:31-5 (Rapid publication)
Peebles RS Jr, Wagner EM, Liu MC, Proud D, Hamilton RG, Togias A. Allergen-induced changes in airway responsiveness are not related to indices of airway edema. 2001;107:805-11
Pekkanen J (*see* Xu et al). 2001;107:732-3
Pelleg A (*see* Mohanty et al). 2001;107:849-55
Penrose JF. Leukotriene C_4 synthase polymorphism and aspirin-induced asthma. 2001;107:561-2 (Letter reply)
Perelmutter L. In vitro allergy testing. 2001;107:560 (Letter)

Perin-Minisini M-J (*see* Emonet et al) 2001;107:556-7 (Letter)
Pescollderungg L (*see* Malerba et al). 2001;107:654-8
Petersen A, Suck R, Hagen S, Cromwell O, Fiebig H, Becker W-M. Group 13 grass allergens: structural variablility between different grass species and analysis of proteolytic stability. 2001;107:856-62
Peterson CGB (*see* Amin et al). 2001;107:249-57
Petraroli A (*see* Marone et al). 2001;107:22-30 (Rostrum)
Pfister R (*see* Ying et al). 2001;107:686-92
Pham D (*see* Kraft et al). 2001;107:602-6
Pickholtz D (*see* Piliponsky et al). 2001;107:993-1000
Pignatti PF (*see* Malerba et al). 2001;107:654-8
Piliponsky AM, Pickholtz D, Gleich GJ, Levi-Schaffer F. Human eosinophils induce histamine release from antigen-activated rat peritoneal mast cells: a possible role for mast cells in late-phase allergic reactions. 2001;107:993-1000
Pinsonneault S, Bassam SE, Mazer B, Cruikshank WW, Laberge S. IL-16 inhibits IL-5 production by antigen-stimulated T cells in atopic subjects. 2001;107:477-82
Pirrotta L (*see* Scala et al). 2001;107:557 (Letter)
Platts-Mills TAE (*see* Arlian et al). 2001;107:S406-13
Platts-Mills TAE (*see* Lewis et al). 2001;107:615-22
Pohjavuori M (*see* Siltanen et al). 2001;107:229-34
Pomés A (*see* Arruda et al). 2001;107:419-28
Ponard D (*see* Martin et al). 2001;107:747
Poonai N (*see* Binkley et al). 2001;107:887-90
Porcel S, León F, Valero AM, Calderín PM, Cuevas M, Cuesta EA. Occupational rhinitis and asthma by *Lathyrus sativus* flour: characterization of allergens. 2001;107:743-4
Porter JD (*see* Sanders et al). 2001;107:235-43
Portnoy JM (*see* Bush et al). 2001;107:S430-40
Powell WS, Ahmed S, Gravel S, Rokach J. Eotaxin and RANTES enhance 5-oxo-6,8,11,14-eicosatetraenoic acid–induced eosinophil chemotaxis. 2001;107:272-8
Pozez A (*see* Ren et al). 2001;107:322-30
Price MR (*see* Gereda et al). 2001;107:790-6
Price NJ (*see* Shearer et al). 2001;107:165-70
Primeau M-N, Adkinson NF Jr, Hamilton RG. Natural rubber pharmaceutical vial closures release latex allergens that produce skin reactions. 2001;107:958-62
Prins J-B (*see* Braunstahl et al). 2001;107:469-76
Proud D (*see* Peedbles et al). 2001;107:805-11
Proud D (*see* Sanders et al). 2001;107:235-43
Przybilla B (*see* Rueff et al). 2001;107:928 (Letter)
Puddu P (*see* Sala et al). 2001;107:557 (Letter)
Pumphrey RSH, Duddridge M, Norton J. Fatal latex allergy. 2001;107:558 (Letter)

R

Rabe KF (*see* Brinke et al). 2001;107:449-54
Raible DG (*see* Mohanty et al). 2001;107:849-55
Ramírez R (*see* Guerra et al). 2001;107:647-53
Raphael GD (*see* Busse et al). 2001;107:461-8
Rapp CM (*see* Arlian et al). 2001;107:99-104
Reche-Frutos M (*see* García-Ara et al). 2001;107:185-90
Redington AE, Roche WR, Madden J, Frew AJ, Djukanovic R, Holgate ST, Howarth PH. Basic fibroblast growth factor in asthma: measurement in bronchoalveolar lavage fluid basally and following allergen challenge. 2001;107:384-7 (Brief communication)
Reed CE (*see* Des Prez et al). 2001;107:592-4
Reed W (*see* Alexis et al). 2001;107:31-5 (Rapid publication)
Reibel S (*see* Roehr et al). 2001;107:548-53. Correction 2001;107:796
Reichmuth D (*see* Codina et al). 2001;107:927 (Letter)
Reid D (*see* Tang et al). 2001;107:863-70
Reindl J (*see* Anliker et al). 2001;107:718-23
Reisman RE. Insect sting allergy: the dilemma of the negative skin test reactor. 2001;107:781-2 (Editorial)
Reitamo S (*see* Remitz et al). 2001;107:196-7 (Letter)
Reitamo S. Tacrolimus: a new topical immunomodulatory therapy for atopic dermatitis. 2001;107:445-8
Remitz A, Kyllönen H, Granlund H, Reitamo S. Tacrolimus ointment reduces staphylococcal colonization of atopic dermatitis lesions. 2001;107:196-7 (Letter)
Ren S, Kambe N, Du Z, Li Y, Xia H-Z, Kambe M, Bieberich E, Pozez A, Grimes M, Yu RK, Irani A-M, Schwartz LB. Disialoganglioside GD3 is selectively expressed by developing and mature human mast cells. 2001;107:322-30
Reuben JM (*see* Shearer et al). 2001;107:160-4. 2001;107:165-70
Richards SM (*see* Sanders et al). 2001;107:235-43
Richardson JJ (*see* Saini et al). 2001;107:832-41
Rickard K (*see* Busse et al). 2001;107:461-8
Rickard K (*see* Matz et al). 2001;107:783-9
Rinne J (*see* Amin et al). 2001;107:249-57
Roche EM (*see* Schroeder et al). 2001;107:265-71
Roche WR (*see* Redington et al). 2001;107:384-7 (Brief communication)
Roehr CC, Reibel S, Ziegert M, Sommerfeld C, Wahn U, Niggemann B. Atopy patch tests, together with determination of specific IgE levels, reduce the need for oral food challenges in children with atopic dermatitis. 2001;107:548-53. Correction 2001;107:796
Roggero M (*see* Kettner et al). 2001;107:914-20
Rokach J (*see* Powell et al). 2001;107:272-8
Roomans GM (*see* Amin et al). 2001;107:249-57
Rosenblatt HM (*see* Shearer et al). 2001;107:160-4
Rothenberg ME (*see* Zweiman and Rothenberg). 2001;107:199-200. 2001;107:395-6. 2001;107:563-4. 2001;107:749-50. 2001;107:930-1
Rouabhia M (*see* Chakir et al). 2001;107:36-4 (Rapid publication)
Ruëff F, Przybilla B. Ultrarush immunotherapy in patients with Hymenoptera venom allergy. 2001;107:928 (Letter)
Rylander R (*see* Michel et al). 2001;107:797-804

S

Saeki H (*see* Kakinuma et al). 2001;107:535-41
Saini SS, Richardson JJ, Wofsy C, Lavens-Phillips S, Bochner BS, MacGlashan DW Jr. Expression and mod-

ulation of FcεRIα and FcεRIβ in human blood basophils. 2001;107:832-41
Sakatura Y (*see* Takeuchi et al). 2001;107:310-4
Salminen S (*see* Kalliomaki et al). 2001;107:129-34
Sampson H (*see* Bock et al). 2001;107:191-3
Sampson HA (*see* Beyer et al). 2001;107:1077-81
Sampson HA (*see* Chatchatee et al). 2001;107:379-83
Sampson HA (*see* Li et al). 2001;107:693-702
Sampson HA (*see* Skolnick et al). 2001;107:367-74
Sampson HA. Utility of food-specific IgE concentrations in predicting symptomatic food allergy. 2001;107:891-6
Sampson K (*see* Krishna et al). 2001;107:1039-45
Sanak M, Szczeklik A. Leukotriene C_4 synthase polymorphism and aspirin-induced asthma. 2001;107:561 (Letter)
Sanchez CS (*see* Higuero et al)
2001;107:554-6 (Letter)
Sánchez-Guijo P (*see* Guerra et al). 2001;107:647-53
Sander I, Flagge A, Merget R, Halder TM, Meyer HE, Baur X. Identification of wheat flour allergens by means of 2-dimensional immunoblotting. 2001;107:907-13
Sanders SP, Siekierski ES, Richards SM, Porter JD, Imani F, Proud D. Rhinovirus infection induces expression of type 2 nitric oxide synthase in human respiratory epithelial cells in vitro and in vivo. 2001;107:235-43
Santanello NC. Pediatric asthma assessment: validation of 2 symptom diaries. 2001;107:S465-72
Santos ABR (*see* Arruda et al). 2001;107:419-28
Sapsford RJ (*see* Bayram et al). 2001;107:287-94
Sasaki Y (*see* Nakao et al). 2001;107:499-504
Sato S (*see* Nakatani et al). 2001;107:353-8
Savilahti E (*see* Siltanen et al). 2001;107:229-34
Scadding G (*see* Turner et al). 2001;107:105-13
Scala E, Giani M, Pirrotta L, Guerra EC, Locanto M, De Pità O, Puddu P. Selective severe anaphylactic reaction due to ketorolac tromethamine without nonsteroidal anti-inflammatory drug intolerance. 2001;107:557 (Letter)
Schaefer JA (*see* Kurtz et al). 2001;107:178-84
Scheurer S, Pastorello EA, Wangorsch A, Kästner M, Haustein D, Vieths S. Recombinant allergens Pru av 1 and Pru av 4 and a newly identified lipid transfer protein in the in vitro diagnosis of cherry allergy. 2001;107:724-31
Schmid-Ott G, Jaeger B, Adamek C, Koch H, Lamprecht F, Kapp A, Werfel T. Levels of circulating $CD8^+$ T lymphocytes, natural killer cells, and eosinophils increase upon acute psychosocial stress in patients with atopic dermatitis. 2001;107:171-7
Schmitt E (*see* Finotto et al). 2001;107:279-86
Schofield B (*see* Li et al). 2001;107:693-702
Schroeder JT, Lichtenstein LM, Roche EM, Xiao H, Liu MC. IL-4 production by human basophils found in the lung following segmental allergen challenge. 2001;107:265-71
Schulman ES (*see* Mohanty et al). 2001;107:849-55
Schultze-Werninghaus G (*see* Merget et al). 2001;107:707-12
Schwartz LB (*see* Des Prez et al). 2001;107:592-4
Schwartz LB (*see* Min et al). 2001;107:315-21
Schwartz LB (*see* Ren et al). 2001;107:322-30
Schweiger A, Stern D, Lohman C, Baldini M, Martinez FD, Halonen M. Differences in proliferation of the hematopoietic cell line TF-1 and cytokine production by peripheral blood leukocytes induced by 2 naturally occurring forms of human IL-3. 2001;107:505-10
Scuk R (*see* Peterson et al). 2001;107:856-62
Seeman P (*see* Binkley et al). 2001;107:887-90
Sekine K (*see* Yamashita et al). 2001;107:135-42
Seminario M-C, Guo J, Bochner BS, Beck LA, Georas SN. Human eosinophils constitutively express nuclear factor of activated T cells p and c. 2001;107:143-52
Semper AE (*see* Holloway et al). 2001;107:1009-18
Seow TK (*see* Goh et al). 2001;107:1082-8
Severijen L-a (*see* Holm et al). 2001;107:627-33
Sevéus L (*see* Amin et al). 2001;107:249-57
Shapiro G (*see* Weiss et al). 2001;107:634-40
Sharma S (*see* Wollenberg et al). 2001;107:519-25
Sharp RM (*see* Shearer et al). 2001;107:160-4
Shearer WT, Lugg DJ, Rosenblatt HM, Nickolls PM, Sharp RM, Reuben JM, Ochs HD. Antibody responses to bacteriophage ϕX-174 in human subjects exposed to the Antarctic winter-over model of spaceflight. 2001;107:160-4
Shearer WT, Reuben JM, Mullington JM, Price NJ, Lee B-N, Smith EO, Szuba MP, Van Dongen HPA, Dinges DF. Soluble TNF-α receptor 1 and IL-6 plasma levels in humans subjected to the sleep deprivation model of spaceflight. 2001;107:165-70
Shields RL (*see* Tumas et al). 2001;107:1025-33
Shim JJ (*see* Lee et al). 2001;107:1046-50
Shimada Y (*see* Nakatani et al). 2001;107:353-8
Shimosawa T (*see* Fujikura et al). 2001;107:123-8
Shirai T, Hashimoto D, Suzuki K, Osawa S, Aonahata M, Chida K, Nakamura H. Successful treatment of eosinophilic gastroenteritis with suplatast tosilate. 2001;107:924-5
Shiratori M (*see* Tanaka et al). 2001;107:331-6
Siekierski ES (*see* Sanders et al). 2001;107:235-43
Siltanen M, Kajosaari M, Pohjavuori M, Savilahti E. Prematurity at birth reduces the long-term risk of atopy. 2001;107:229-34
Silver NA (*see* Simons et al). 2001;107:526-30
Simola M (*see* Amin et al). 2001;107:249-57
Simons FER, Silver NA, Gu X, Simons KJ. Skin concentrations of H_1-receptor antagonists. 2001;107:526-30
Simons FER. Prevention of actute urticaria in young children with atopic dermatitis. 2001;107:703-6
Simons KJ (*see* Simons et al). 2001;107:526-30
Skolnick HS, Conover-Walker MK, Koerner CB, Sampson HA, Burks W, Wood RA. The natural history of peanut allergy. 2001;107:367-74
Smith AM (*see* Gafvelin et al). 2001;107:511-18
Smith AM, Benjamin DC, Hozic N, Derewenda U, Smith W-A, Thomas WR, Gafvelin G, van Hage-Hamsten M, Chapman MD. The molecular basis of antigenic cross-reactivity between the group 2 mite allergens. 2001;107:977-84

Smith EO (*see* Shearer et al). 2001;107:165-70
Smith HE (*see* Frew et al). 2001;107:441-4
Smith JL (*see* Bakakos et al). 2001;107:1089-94
Smith W-A (*see* Smith et al). 2001;107:977-84
Smith W-A, Hales BJ, Jarnicki AG, Thomas WR. Allergens of wild house dust mites: environmental Der p 1 and Der p 2 sequence polymorphisms. 2001;107:985-92
Sobrino F (*see* Monteseirín et al). 2001;107:623-6
Sogawa H (*see* Oyama et al). 2001;107:153-9
Sohy C (*see* Vandenplas et al). 2001;107:542-7
Solana-Lara R (*see* Guerra et al). 2001;107:647-53
Sommerfeld C (*see* Roehr et al). 2001;107:548-53. Correction 2001;107:796
Son J-W (*see* Kim et al). 2001;107:244-8
Sonnenfeld G. Extreme environments and the immune system: effects of spaceflight on immune responses. 2001;107:19-20 (Editorial)
Soter NA (*see* Li et al). 2001;107:693-702
Soussi-Gounni A, Kontolemos M, Hamid Q. Role of IL-9 in the pathophysiology of allergic diseases. 2001;107:575-82
Spergel JM (*see* Woodward et al). 2001;107:359-66
Spertini F (*see* Kettner et al). 2001;107:914-20
Srebro S (*see* Busse et al). 2001;107:461-8
Sridhara S (*see* Vailes et al). 2001;107:641-6
Stanford RH (*see* Stempel et al). 2001;107:94-8
Steeber DA (*see* Fiscus et al). 2001;107:1019-24
Steeber DA (*see* Keramidaris et al). 2001;107:734-8
Stempel DA, Meyer JW, Stanford RH, Yancey SW. One-year claims analysis comparing inhaled fluticasone propionate with zafirlukast for the treatment of asthma. 2001;107:94-8
Sterk PJ (*see* Brinke et al). 2001;107:449-54
Stern D (*see* Schweiger et al). 2001;107:505-10
Sternberg AL (*see* Weiss et al). 2001;107:634-40
Stjärne P (*see* Blomqvist et al). 2001;107:224-8
Suda T (*see* Inui et al). 2001;107:337-44
Sudo N (*see* Oyama et al). 2001;107:153-9
Suh J-H (*see* Kim et al). 2001;107:244-8
Suissa S, Ernst P. Inhaled corticosteroids: impact on asthma morbidity and mortality. 2001;107:937-44
Sullivan SD (*see* Weiss and Sullivan). 2001;107:3-8
Sullivan SD, Weiss KB. Health economics of asthma and rhinitis. II. Assessing the value of interventions. 2001;107:203-10
Sullivan TJ (*see* Williams et al). 2001;107:560-1 (Letter reply)
Summer CG (*see* Viquez et al). 2001;107:713-17
Sussman GL (*see* Beezhold et al). 2001;107:1069-76
Suzuki K (*see* Shirai et al). 2001;107:924-5 (Letter)
Syed N (*see* Htut et al). 2001;107:55-60
Syring M (*see* Lewis et al). 2001;107:615-22
Szczeklik A (*see* Sanak and Szczeklik). 2001;107:561 (Letter)
Szefler SJ (*see* Leung et al). 2001;107:417-18. 2001;107:565-6. 2001;107:763-4
Szefler SJ. Challenges in assessing outcomes for pediatric asthma. 2001;107:S456-64
Szelfer SJ (*see* Leung et al). 2001;107:1-2
Szeinbach SL (*see* Williams et al). 2001;107:560-1 (Letter reply)
Szuba MP (*see* Shearer et al). 2001;107:165-70

T

Tachimoto H, Hudson SA, Bochner BS. Acquisition and alteration of adhesion molecules during cultured human mast cell differentiation. 2001;107:302-9
Tada Y (*see* Kakinuma et al). 2001;107:535-41
Taha R (*see* Miotto et al). 2001;107:664-70
Takabayashi A (*see* Nakao et al). 2001;107:499-504
Takahashi M (*see* Hoshino et al). 2001;107:295-301
Takahashi Y (*see* Aihara et al). 2001;107:1100-5
Takata S (*see* Mitsunobu et al). 2001;107:492-8
Takehara K (*see* Nakatani et al). 2001;107:353-8
Takeshita I (*see* Hashimoto et al). 2001;107:1001-8
Takeuchi K, Kishioka C, Ishinaga H, Sakakura Y, Majima Y. Histamine alters gene expression in cultured human nasal epithelial cells. 2001;107:310-4
Tamaki K (*see* Kakinuma et al). 2001;107:535-41
Tanaka H, Miyazaki N, Oashi K, Teramoto S, Shiratori M, Hashimoto M, Ohmichi M, Abe S. IL-18 might reflect disease activity in mild and moderate asthma exacerbation. 2001;107:331-6
Tanaka LG, El-Dahr JM, Lehrer SB. Double-blind, placebo-controlled corn challenge resulting in anaphylaxis. 2001;107:744
Tang C, Ward C, Reid D, Bish R, O'Byrne PM, Walters EH. Normally suppressing CD40 coregulatory signals delivered by airway macrophages to T_H2 lymphocytes are defective in patients with atopic asthma. 2001;107:863-70
Tang MLK (*see* Fiscus et al). 2001;107:1019-24
Tang MLK (*see* Keramidaris et al). 2001;107:734-8
Tanizaki Y (*see* Mitsunobu et al). 2001;107:492-8
Tarlo SM, Liss GM. Can medical surveillance measures improve the outcome of occupational asthma? 2001;107:583-5 (Editorial)
Taylor SL, Hefle SL. Will genetically modified foods be allergenic? 2001;107:765-71
Tedder TF (*see* Fiscus et al). 2001;107:1019-24
Tedder TF (*see* Keramidaris et al). 2001;107:734-8
ten Brinke A, van Dissel JT, Sterk PJ, Zwinderman AH, Rabe KF, Bel EH. Persistent airflow limitation in adult-onset nonatopic asthma is associated with serologic evidence of *Chlamydia pneumoniae* infection. 2001;107:449-54
Ten RM (*see* Kelkar et al). 2001;107:742
Teramoto S (*see* Tanaka et al). 2001;107:331-6
Thimpont J (*see* Vandenplas et al). 2001;107:542-7
Thomas WR (*see* Smith et al). 2001;107:977-84. 2001;107:985-92
Tillie-Leblond I (*see* Gosset et al). 2001;107:114-22
Tinkelman DG (*see* Naspitz et al). 2001;107:S482-4
Togias A (*see* Peebles et al). 2001;107:805-11
Tonnel A-B (*see* Gosset et al). 2001;107:114-22
Tonnel A-B (*see* Lamblin et al). 2001;107:739-41
Tonnel A-B (*see* Miotto et al). 2001;107:664-70
Torii H (*see* Kakinuma et al). 2001;107:535-41

Tournoy KG, Kips JC, Pauwels RA. Counterbalancing of T_H2-driven allergic airway inflammation by IL-12 does not require IL-10. 2001;107:483-91
Toutain A (*see* Martin et al). 2001;107:747
Tovey ER (*see* Mitakakis et al). 2001;107:388-9 (Brief communication)
Trabetti E (*see* Malerba et al). 2001;107:654-8
Tsicopoulos A (*see* Miotto et al). 2001;107:664-70
Tsugeno H (*see* Mitsunobu et al). 2001;107:492-8
Tumas DB, Chan B, Werther W, Wrin T, Vennari J, Desjardin N, Shields RL, Jardieu P. Anti-IgE efficacy in murine asthma models is dependent on the method of allergen sensitization. 2001;107:1025-33
Turner P, Dear J, Scadding G, Foreman JC. Role of kinins in seasonal allergic rhinitis: icatibant, a bradykinin B_2 receptor antagonist, abolishes the hyperresponsiveness and nasal eosinophilia induced by antigen. 2001;107:105-13
Tybjaerg-Hansen A (*see* Dahl et al). 2001;107:818-23

U

Ueki IF (*see* Lee et al). 2001;107:1046-50
Ulpian C (*see* Binkley et al). 2001;107:887-90
Umetsu DT (*see* Blumenthal et al). 2001;107:258-64
Urban JF (*see* Finkelman and Urban). 2001;107:772-80
Urch B (*see* Zimmerman and Urch). 2001;107:558-9 (Letter)

V

Vachier I, Chavis C, Majori M, Farce M, Bousquet J, Godard P, Chanez P. Effects of glucocorticoids on endogenous and transcellular metabolism of eicosanoids in asthma. 2001;107:824-31
Vailes L, Sridhara S, Cromwell O, Weber B, Breitenbach M, Chapman M. Quantitation of the major fungal allergens, Alt a 1 and Asp f 1, in commercial allergenic products. 2001;107:641-6
Vailes LD (*see* Arruda et al). 2001;107:419-28
Valero AM (*see* Porcel et al). 2001;107:743-4
van Cauwenberge P (*see* Bachert et al). 2001;107:607-14
van Dissel JT (*see* Brinke et al). 2001;107:449-54
Van Dongen HPA (*see* Shearer et al). 2001;107:165-70
van Hage-Hamsten M (*see* Smith et al). 2001;107:977-84
van Hage-Hansten M (*see* Gafvelin et al). 2001;107:511-18
Van Herpen J (*see* Fiscus et al). 2001;107:1019-24
Van Natta ML (*see* Huss et al). 2001;107:48-54
Vance G (*see* Bakakos et al). 2001;107:1089-94
Vandenplas O, Binard-Van Cangh F, Brumagne A, Caroyer J-M, Thimpont J, Sohy C, Larbanois A, Jamart J. Occupational asthma in symptomatic workers exposed to natural rubber latex: evaluation of diagnostic procedures. 2001;107:542-7
Vannari J (*see* Tumas et al). 2001;107:1025-33
Varga L (*see* Farkas et al). 2001;107:926-7 (Letter)
Venge P (*see* Amin et al). 2001;107:249-57
Vernhet H (*see* Bresciani et al). 2001;107:73-80
Vieths S (*see* Anliker et al). 2001;107:718-23
Vieths S (*see* Scheurer et al). 2001;107:724-31
Villamuza YG (*see* Higuero et al). 2001;107:554-6 (Letter)
Viquez OM, Summer CG, Dodo HW. Isolation and molecular characterization of the first genomic clone of a major peanut allergen, Ara h 2. 2001;107:713-17
Vliagoftis H, Befus AD, Hollenberg MD, Moqbel R. Airway epithelial cells release eosinophil survival–promoting factors (GM-CSF) after stimulation of proteinase-activated receptor 2. 2001;107:679-85
von Bubnoff D (*see* Wollenberg et al). 2001;107:519-25
von Mutius E (*see* Wahn et al). 2001;107:567-74
Vyszenski-Moher DL (*see* Arlian et al). 2001;107:99-104

W

Wagner EM (*see* Peebles et al). 2001;107:805-11
Wahn U (*see* Roehr et al). 2001;107:548-53. Correction 2001;107:796
Wahn UW, von Mutius E. Childhood risk factors for atopy and the importance of early intervention. 2001;107:567-74
Wakugawa M (*see* Kakinuma et al). 2001;107:535-41
Walker SM (*see* Wilson et al). 2001;107:971-6
Walker SM, Pajno GB, Lima MT, Wilson DR, Durham SR. Grass pollen immunotherapy for seasonal rhinitis and asthma: a randomized, controlled trial. 2001;107:87-93
Wallaert B (*see* Gosset et al). 2001;107:114-22
Wallaert B (*see* Lamblin et al). 2001;107:739-41
Wallaert B (*see* Miotto et al). 2001;107:664-70
Walls AF (*see* McEuen et al). 2001;107:842-8
Walters EH (*see* Tang et al). 2001;107:863-70
Wangorsch A (*see* Scheurer et al). 2001;107:724-31
Ward C (*see* Tang et al). 2001;107:863-70
Warner JO (*see* Bakakos et al). 2001;107:1089-94
Watier H (*see* Martin et al). 2001;107:747
Weber B (*see* Vailes et al). 2001;107:641-6
Weiss KB (*see* Sullivan and Weiss). 2001;107:203-10
Weiss ST (*see* Fuhlbrigge et al). 2001;107:61-7
Weiss ST (*see* Lewis et al). 2001;107:615-22
Weiss ST (*see* Litonjua et al). 2001;107:41-7
Weiss ST, Horner A, Shapiro G, Sternberg AL. The prevalence of environmental exposure to perceived asthma triggers in children with mild-to-moderate asthma: data from the Childhood Asthma Management Program (CAMP). 2001;107:634-40
Weiss, KB, Sullivan SD. The health economics of asthma and rhinitis. I. Assessing the economic impact. 2001;107:3-8
Werfel T (*see* Schmid-Ott et al). 2001;107:171-7
Werther W (*see* Tumas et al). 2001;107:1025-33
Whalen MB (*see* Malerba et al). 2001;107:654-8
Whitmore JB (*see* Borish et al). 001;107:963-70
Williams PB, Barnes JH, Szeinbach SL, Sullivan TJ. In vitro allergy testing. 2001;107:560-1 (Letter reply)
Wills-Karp M. IL-12/IL-13 axis in allergic asthma. 2001;107:9-18
Wilson DR (*see* Walker et al). 2001;107:87-93
Wilson DR, Nouri-Aria KT, Walker SM, Pajno GB, O'Brien F, Jacobson MR, Mackay IS, Durham SR. Grass pollen immunotherapy: symptomatic improvement correlates with reductions in eosinophils and IL-5 mRNA expression in the nasal mucosa during the pollen season. 2001;107:971-6

Wofsy C (*see* Saini et al). 2001;107:832-41
Wollenberg A, Sharma S, von Bubnoff D, Geiger E, Haberstok J, Bieber T. Topical tacrolimus (FK506) leads to profound phenotypic and functional alterations of epidermal antigen-presenting dendritic cells in atopic dermatitis. 2001;107:519-25
Wood RA (*see* Chapman et al). 2001;107:S414-21
Wood RA (*see* Skolnick et al). 2001;107:367-74
Woodward AL, Spergel JM, Alenius H, Mizoguchi E, Atul K, Bhan AK, Castigli E, Brodeur SR, Oettgen HC, Geha RS. An obligate role for T-cell receptor $\alpha\beta^+$ T cells but not T-cell receptor $\gamma\delta^+$ T cells, B cells, or CD40/CD40L interactions in a mouse model of atopic dermatitis. 2001;107:359-66
Wrin T (*see* Tumas et al). 2001;107:1025-33
Wüthrich B (*see* Anliker et al). 2001;107:718-23
Wüthrich B (*see* Bader et al). 2001;107:198 (Letter)

X

Xia H-Z (*see* Ren et al). 2001;107:322-30
Xiao H (*see* Schroeder et al). 2001;107:265-71
Xu B, Pekkanen J, Hartikainen A-L, Järvelin M-R. Caesarean section and risk of asthma and allergy in adulthood. 2001;107:732-3

Y

Yakuo I (*see* Fujikura et al). 2001;107:123-8
Yamamoto T (*see* Yamashita et al). 2001;107:135-42
Yamashita N, Sekine K, Miyasaka T, Kawashima R, Nakajima Y, Nakano J, Yamamoto T, Horiuchi T, Hirai K, Ohta K. Platelet-derived growth factor is involved in the augmentation of airway responsiveness through remodeling of airways in diesel exhaust particulate-treated mice. 2001;107:135-42
Yancey SW (*see* Stempel et al). 2001;107:94-8
Yi FC (*see* Goh et al). 2001;107:1082-8
Ying S, Humbert M, Meng Q, Pfister R, Menz G, Gould HJ, Kay AB, Durham SR. Local expression of ε germline gene transcripts and RNA for the ε heavy chain of IgE in the bronchial mucosa in atopic and nonatopic asthma. 2001;107:686-92
Yu RK (*see* Ren et al). 2001;107:322-30
Yunginger JW (*see* Des Prez et al). 2001;107:592-4

Z

Zabala BB (*see* Higuero et al). 2001;107:554-6 (Letter)
Zanoni G (*see* Malerba et al). 2001;107:654-8
Ziegert M (*see* Roehr et al). 2001;107:548-53. Correction 2001;107:796
Zimmerman B, Urch B. Peanut allergy: children who lose the positive skin test response. 2001;107:558-9 (Letter)
Zweiman B, Rothenberg ME. Beyond our pages. 2001;107:199-200. 2001;107:395-6. 2001;107:563-4. 2001;107:749-50. 2001;107:930-1. 2001;107:1110-1
Zwinderman AH (*see* Brinke et al). 2001;107:449-54

Subject index*

The index to the abstracts of the scientific sessions of the 57th meeting of the American Academy of Allergy, Asthma and Immunology is located in the February, part 2, issue.

A

Abstracts
- Late-breaking abstracts presented at scientific sessions. American Academy of Allergy, Asthma and Immunology 57th annual meeting, March 16-21, 2001. 2001;107:932
- Program and abstracts of papers to be presented during scientific sessions. American Academy of Allergy, Asthma and Immunology 57th annual meeting, March 16-21, 2001. 2001;107:S1-S401

Acquired immunodeficiency syndrome (AIDS)
- Dysregulation of the IgE/FcεRI network in HIV-1 infection (Marone et al). 2001;107:22-30 (Rostrum)
- Important progress in an AIDS vaccine (Zweiman et al). 2001;107:395 (Beyond our pages)

Adhesion molecules
- Acquisition and alteration of adhesion molecules during cultured human mast cell differentiation (Tachimoto et al). 2001;107:302-9
- L-selectin and intercellular adhesion molecule 1 mediate lymphocyte migration to the inflamed airway/lung during an allergic inflammatory response in an animal model of asthma (Keramidaris et al). 2001;107:734-8 (Brief communication)
- Nasal allergen provocation induces adhesion molecule expression and tissue eosinophilia in upper and lower airways (Braunstahl et al). 2001;107:469-76

Advair
- Advair: combination treatment with fluticasone propionate/salmeterol in the treatment of asthma (Nelson). 2001;107:398-416 (New products)

Aeroallergens; *see* Allergens

Age
- Effect of age and duration of disease on airway structure (Zweiman et al). 2001;107:199 (Beyond our pages)

AIDS; *see* Acquired immunodeficiency syndrome (AIDS)

Airway(s)
- Acute anti-inflammatory effects of inhaled corticosteroids in asthma (Zweiman and Rothenberg). 2001;107:1111 (Beyond our pages)
- Allergen-induced changes in airway responsiveness are not related to indices of airway edema (Peeples et al). 2001;107:805-11
- Allergic rhinitis: interaction between upper and lower airways (Leung et al). 2001;107:417 (Editors' choice)
- Early airway closure and asthma flares (Zweiman et al). 2001;107:395 (Beyond our pages)
- Effect of age and duration of disease on airway structure (Zweiman et al). 2001;107:199 (Beyond our pages)
- Nasal allergen provocation induces adhesion molecule expression and tissue eosinophilia in upper and lower airways (Braunstahl et al). 2001;107:469-76
- Proteases may induce eosinophil accumulation in the airways in asthma (Leung et al). 2001;107:566 (Editors' choice)

Airway hyperresponsiveness
- Allergen-induced changes in airway responsiveness are not related to indices of airway edema (Peeples et al). 2001;107:805-11
- Can sputum cell counts be useful for evaluating occupational asthma? (Leung et al). 2001;107:936 (Editors' choice)
- Changes in sputum cell counts after exposure to occupational agents: what do they mean? (Lemière et al). 2001;107:1063-8
- Eosinophil recruitment to the airway nerves (Jacoby et al). 2001;107:211-18
- L-Selectin is required for the development of airway hyperresponsiveness but not airway inflammation in a murine model of asthma (Fiscus et al). 2001;107:1019-24
- Platelet-derived growth factor is involved in the augmentation of airway responsiveness through remodeling of airways in diesel exhaust particulate-treated mice (Yamashita et al). 2001;107:135-42
- Predictive markers of asthma exacerbation during stepwise dose reduction of inhaled corticosteroids (Zweiman and Rothenberg). 2001;107:1111 (Beyond our pages)
- Role of kinins in seasonal allergic rhinitis: icatibant, a bradykinin B_2 receptor antagonist, abolishes the hyperresponsiveness and nasal eosinophilia induced by antigen (Turner et al). 2001;107:105-13

Airway obstruction
- Inhibition of mast cell tryptase by inhaled APC 366 attenuates allergen-induced late-phase airway obstruction in asthma (Krishna et al). 2001;107:1039-45
- Persistent airflow limitation in adult-onset nonatopic asthma is associated with serologic evidence of *Chlamydia pneumoniae* infection (ten Brinke et al). 2001;107:449-54

*January, pp. 1-200; February, part 1, pp. 201-416; part 2, pp. S1-S402; March, part 1, pp. 417-564; part 2, pp. S403-S442; April, pp. 565-762; May, part 1, pp. 763-934; part 2, pp. S443-S486; June, pp. 935-1152.

Airway remodeling
Corticosteroids and airway remodeling: friend or foe? (Leung et al). 2001;107:565 (Editors' choice)
IL-4, IL-13, and dexamethasone augment fibroblast proliferation in asthma (Kraft et al). 2001;107:602-6
PDGF plays an important role in asthma via airway remodeling (Leung et al). 2001;107:1 (Editors' choice)
Platelet-derived growth factor is involved in the augmentation of airway responsiveness through remodeling of airways in diesel exhaust particulate-treated mice (Yamashita et al). 2001;107:135-42

Allergens
Allergen-induced changes in airway responsiveness are not related to indices of airway edema (Peeples et al). 2001;107:805-11
Allergens of wild house dust mites: environmental Der p 1 and Der p 2 sequence polymorphisms (Smith et al). 2001;107:977-84
An experimental model of aeroallergen-induced esophagitis (Zweiman and Rothenberg). 2001;107:930 (Beyond our pages)
Api m 6: a new bee venom allergen (Kettner et al). 2001;107:914-20
Basic fibroblast growth factor in asthma: measurement in bronchoalveolar lavage fluid basally and following allergen challenge (Redington et al). 2001;107:384-7 (Brief communication)
The biology of dust mites and the remediation of mite allergens in allergic disease (Arlian and Platts-Mills). 2001;107:S406-13
Cockroach allergens and asthma (Arruda et al). 2001;107:419-28
Comparing conventional and acetone-precipitated dog allergen extract skin testing (Meiser and Nelson). 2001;107:744-5 (Letter)
Cross-reactivity studies of a new group 2 allergen from the dust mite *Glycyphagus domesticus*, Gly d 2, and group 2 allergens from *Dermatophagoides pteronyssinus*, *Lepidoglyphus destructor*, and *Tyrophagus putrescentiae* with recombinant allergens (Gafvelin et al). 2001;107:511-18
Ecology and elimination of cockroaches and allergens in the home (Eggleston and Arruda). 2001;107:S422-9
Effects of cooking methods on peanut allergenicity (Beyer et al). 2001;107:1077-81
Environmental allergen avoidance: an overview (Eggleston and Bush). 2001;107:S403-5
Group 13 grass allergens: structural variability between different grass species and analysis of proteolytic stability (Petersen et al). 2001;107:856-62
A hooded exposure chamber method for semiquantitative latex aeroallergen challenge (Kurtz et al). 2001;107:178-84
Identification of wheat flour allergens by means of 2-dimensional immunoblotting (Sander et al). 2001;107:907-13
Immunochemical characterization of edible bird's nest allergens (Meng et al). 2001;107:1082-8
Isolation and molecular characterization of the first genomic clone of a major peanut allergen, Ara h (Viquez et al). 2001;107:713-17
Method of cooking affects peanut allergens (Leung et al). 2001;107:936 (Editors' choice)
Modification of T-cell receptor Vβ repertoire in response to allergen stimulation in peanut allergy (Bakakos et al). 2001;107:1089-94
The molecular basis of antigenic cross-reactivity between the group 2 mite allergens (Smith et al). 2001;107:977-84
Myeloid dendritic cells induce T_H2 responses to inhaled allergens (Zweiman et al). 2001;107:199 (Beyond our pages)
Natural rubber pharmaceutical vial closures release latex allergens that produce skin reactions (Primeau et al). 2001;107:958-62 (Rapid publication)
Natural rubber vial stoppers: potentially dangerous for patients with latex allergy? (Leung et al). 2001;107:935 (Editors' choice)
Occupational rhinitis and asthma by *Lathyrus sativus* flour: characterization of allergens (Porcel et al). 2001;107:743-4 (Letter)
Quantitation of the major fungal allergens, Alt a 1 and Asp f 1, in commercial allergenic products (Vailes et al). 2001;107:641-6
Recombinant allergens Pru av 1 and Pru av 4 and a newly identified lipid transfer protein in the in vitro diagnosis of cherry allergy (Scheurer et al). 2001;107:724-31
Reducing relative humidity is a practical way to control dust mites and their allergens in homes in temperate climates (Arlian et al). 2001;107:99-104
The role and abatement of fungal allergens in allergic diseases (Bush and Portnoy). 2001;107:S430-40
The role and remediation of animal allergens in allergic diseases (Chapman and Wood). 2001;107:S414-21
Spore germination increases allergen release from *Alternaria* (Mitakakis et al). 2001;107:388-90 (Brief communication)
Sublingual immunotherapy (Frew and Smith). 2001;107:441-4 (Rostrum)

Allergy
Caesarean section and risk of asthma and allergy in adulthood (Xu et al). 2001;107:732-3 (Brief communication)
The other side of the coin: the protective role of the T_H2 cytokines (Finkelman and Urban). 2001;107:772-80
Significance of IgE-binding epitopes in allergic disease (Bufe). 2001;107:219-20 (Editorial)

Alternaria alternata
Improving fungal extracts (Leung et al). 2001;107:566 (Editors' choice)

Quantitation of the major fungal allergens, Alt a 1 and Asp f 1, in commercial allergenic products (Vailes et al). 2001;107:641-6
Spore germination increases allergen release from *Alternaria* (Mitakakis et al). 2001;107:388-90 (Brief communication)

Alveolar macrophages; *see* Macrophages, alveolar

American Board of Allergy and Immunology
The 30th anniversary of the American Board of Allergy and Immunology: then and now (Prez et al). 2001;107:592-4

Anaphylaxis
Anaphylaxis caused by the new ant, *Pachycondyla chinensis:* demonstration of specific IgE and IgE-binding components (Kim et al). 2001;107:1095-9
Anaphylaxis to oxybenzone, a frequent constituent of sunscreens (Emonet et al). 2001;107:556-7 (Letter)
Don't let the food allergy guards fall asleep! (Leung et al). 2001;107:1 (Editors' choice)
Double-blind, placebo-controlled corn challenge resulting in anaphylaxis (Tanaka et al). 2001;107:744 (Letter)
Exercise-induced anaphylaxis requiring 2 foods (Leung et al). 2001;107:935 (Editors' choice)
Fatalities due to anaphylactic reactions to foods (Bock et al). 2001;107:191-3
Fatal latex allergy (Pumphrey et al). 2001;107:558 (Letter)
Immunochemical characterization of edible bird's nest allergens (Meng et al). 2001;107:1082-8
The necessity for dual food intake to provoke food-dependent exercise-induced anaphylaxis (FEIAn): a case report of FEIAn with simultaneous intake of wheat and *umeboshi* (Aihara et al). 2001;107:1100-5
Selective severe anaphylactic reaction due to ketorolac tromethamine without nonsteroidal anti-inflammatory drug intolerance (Scala et al). 2001;107:557 (Letter)

Angioedema
Hereditary angioedema type III: an additional French pedigree with autosomal dominant transmission (Binkley and Davis). 2001;107:747-8 (Letter reply)
Hereditary angioedema type III: an additional French pedigree with autosomal dominant transmission (Martin et al). 2001;107:747 (Letter)

Angiogenesis
Expression of vascular endothelial growth factor, basic fibroblast growth factor, and angiogenin immunoreactivity in asthmatic airways and its relationship to angiogenesis (Hoshino et al). 2001;107:295-301
Gene expression of vascular endothelial growth factor and its receptors and angiogenesis in bronchial asthma (Hoshino et al). 2001;107:1034-8

Antibiotics
Antibiotic use during infancy promotes a shift in the T_H1/T_H2 balance toward T_H2-dominant immunity in mice (Oyama et al). 2001;107:153-9

Antibody(ies)
Antibody responses to bacteriophage ϕX-174 in human subjects exposed to the Antarctic winter-over model of spaceflight (Shearer et al). 2001;107:160-4

Antihistamines
Getting the real "skinny" on antihistamine distribution (Leung et al). 2001;107:417 (Editors' choice)
Premedication with antihistamines may enhance efficacy of specific-allergen immunotherapy (Müller et al). 2001;107:81-6
Skin concentrations of H_1-receptor antagonists (Simons et al). 2001;107:526-30

APC 366
Inhibition of mast cell tryptase by inhaled APC 366 attenuates allergen-induced late-phase airway obstruction in asthma (Krishna et al). 2001;107:1039-45

Apoptosis
Caspase inhibitors for sepsis (Zweiman et al). 2001;107:564 (Beyond our pages)
CD95-dependent apoptosis of lung epithelial cells is critically involved in host defense against *Pseudomonas aeruginosa* (Zweiman et al). 2001;107:396 (Beyond our pages)
T_H2 lymphocytes from atopic patients treated with immunotherapy undergo rapid apoptosis after culture with specific allergens (Guerra et al). 2001;107:647-53

Aspergillus fumigatus
Improving fungal extracts (Leung et al). 2001;107:566 (Editors' choice)
Quantitation of the major fungal allergens, Alt a 1 and Asp f 1, in commercial allergenic products (Vailes et al). 2001;107:641-6

Asthma
Acute anti-inflammatory effects of inhaled corticosteroids in asthma (Zweiman and Rothenberg). 2001;107:1111 (Beyond our pages)
Addition of salmeterol to low-dose fluticasone versus higher-dose fluticasone: an analysis of asthma exacerbations (Matz et al). 2001;107:783-9
Advair: combination treatment with fluticasone propionate/salmeterol in the treatment of asthma (Nelson). 2001;107:398-416 (New products)
Anti-IgE efficacy in murine asthma models is dependent on the method of allergen sensitization (Tumas et al). 2001;107:1025-33
Association of specific allergen sensitization with socioeconomic factors and allergic disease in a population of Boston women (Lewis et al). 2001;107:615-22
Asthma, atopy, and bronchial hyperreactivity in twins (Zweiman and Rothenberg). 2001;107:931 (Beyond our pages)
Basic fibroblast growth factor in asthma: measure-

ment in bronchoalveolar lavage fluid basally and following allergen challenge (Redington et al). 2001;107:384-7 (Brief communication)

Bronchial mucosa produced by tissue engineering: a new tool to study cellular interactions in asthma (Chakir et al). 2001;107:36-40 (Rapid publication)

Caesarean section and risk of asthma and allergy in adulthood (Xu et al). 2001;107:732-3 (Brief communication)

Childhood risk factors for atopy and the importance of early intervention (Wahn and von Mutius). 2001;107:567-74

Chromosome 14 linkage analysis and mutation study of 2 serpin genes in allergic asthmatic families (Malerba et al). 2001;107:654-8

Cockroach allergens and asthma (Arruda et al). 2001;107:419-28

Complement factor 5 is a genetic susceptibility locus for experimental allergic asthma (Zweiman et al). 2001;107:200 (Beyond our pages)

Counterbalancing of T_H2-driven allergic airway inflammation by IL-12 does not require IL-10 (Tournoy et al). 2001;107:483-91

Early airway closure and asthma flares (Zweiman et al). 2001;107:395 (Beyond our pages)

Effectiveness of a medical surveillance program for the prevention of occupational asthma caused by platinum salts: a nested case-control study (Merget et al). 2001;107:707-12

Effect of age and duration of disease on airway structure (Zweiman et al). 2001;107:199 (Beyond our pages)

Effects of glucocorticoids on endogenous and transcellular metabolism of eicosanoids in asthma (Vachier et al). 2001;107:824-31

Efficacy of soluble IL-4 receptor for the treatment of adults with asthma (Borish et al). 2001;107:963-70

Elevated secretion of myeloperoxidase by neutrophils from asthmatic patients: the effect of immunotherapy (Monteseirín et al). 2001;107:623-6

Eosinophil markers in blood, serum, and urine for monitoring the clinical course in childhood asthma: impact of budesonide treatment and withdrawal (Lönnkvist et al). 2001;107:812-17

Eradication of house dust mite from homes of atopic asthmatic subjects: a double-blind trial (Htut et al). 2001;107:55-60

Exposure to cockroach allergen in the home is associated with incident doctor-diagnosed asthma and recurrent wheezing (Litonjua et al). 2001;107:41-7

Expression of the high-affinity IgE receptor on peripheral blood dendritic cells: differential binding of IgE in atopic asthma (Holloway et al). 2001;107:1009-18

Expression of vascular endothelial growth factor, basic fibroblast growth factor, and angiogenin immunoreactivity in asthmatic airways and its relationship to angiogenesis (Hoshino et al). 2001;107:295-301

Gene expression of vascular endothelial growth factor and its receptors and angiogenesis in bronchial asthma (Hoshino et al). 2001;107:1034-8

Grass pollen immunotherapy for seasonal rhinitis and asthma: a randomized, controlled trial (Walker et al). 2001;107:87-93

The health economics of asthma and rhinitis. I. Assessing the economic impact (Weiss and Sullivan). 2001;107:3-8

Health economics of asthma and rhinitis. II. Assessing the value of interventions (Sullivan and Weiss). 2001;107:203-10

Identification of IgE-binding components of citrus red mite in sera of patients with citrus red-mite–induced asthma (Kim et al). 2001;107:244-48

Identification of wheat flour allergens by means of 2-dimensional immunoblotting (Sander et al). 2001;107:907-13

IgE regulation and roles in asthma pathogenesis (Oettgen and Geha). 2001;107:429-40. Correction 2001;107:591

IL-4, IL-13, and dexamethasone augment fibroblast proliferation in asthma (Kraft et al). 2001;107:602-6

IL-12/IL-13 axis in allergic asthma (Wills-Karp). 2001;107:9-18

IL-10-/-mice reveal potential danger of cytokine therapy in asthma (Leung et al). 2001;107:418 (Editors' choice)

IL-18 might reflect disease activity in mild and moderate asthma exacerbation (Tanaka et al). 2001;107:331-6

Immunotherapy does work in asthma (Leung et al). 2001;107:2 (Editors' choice)

Improving fungal extracts (Leung et al). 2001;107:566 (Editors' choice)

Incidence of sensitization, symptoms, and probable occupational rhinoconjunctivitis and asthma in apprentices starting exposure to latex (Archambault et al). 2001;107:921-3 (Brief communication)

Inhalative allergy to Hyfoama DS, a casein derivative (Bader et al). 2001;107:198 (Letter)

Inhaled corticosteroids: impact on asthma morbidity and mortality (Suissa and Ernst). 2001;107:937-44

Inhaled corticosteroid use and bone density in patients with asthma (Zweiman et al). 2001;107:199 (Beyond our pages)

Inhaled versus oral steroid treatment for acute asthma (Zweiman et al). 2001;107:395 (Beyond our pages)

Is asthma an infectious disease? (Leung et al). 2001;107:565 (Editors' choice)

Leukotrienes not responsible for increased expired nitric oxide in asthma (Zweiman and Rothenberg). 2001;107:749 (Beyond our pages)

A link between chronic asthma and chronic infection (Martin et al). 2001;107:595-601
Links between pediatric and adult asthma (Martinez). 2001;107:S449-55
Local administration of antisense phosphorothioate oligonucleotides to the c-kit ligand, stem cell factor, suppresses airway inflammation and IL-4 production in a murine model of asthma (Finotto et al). 2001;107:279-86
Local delivery of SCF antisense oligonucleotides: promise of a new therapy for asthma? (Leung et al). 2001;107:202 (Editors' choice)
Local expression of ε germline gene transcripts and RNA for the ε heavy chain of IgE in the bronchial mucosa in atopic and nonatopic asthma (Ying et al). 2001;107:686-92
Long-acting β-agonists and asthma exacerbations (Leung et al). 2001;107:763 (Editors' choice)
Low-dose fluticasone propionate compared with montelukast for first-line treatment of persistent asthma: a randomized clinical trial (Busse et al). 2001;107:461-8
L-selectin and intercellular adhesion molecule 1 mediate lymphocyte migration to the inflamed airway/lung during an allergic inflammatory response in an animal model of asthma (Keramidaris et al). 2001;107:734-8 (Brief communication)
Metalloproteinases and asthma (Zweiman and Rothenberg). 2001;107:749 byp
Murine asthma models: The rhyme and reason of IgE (Leung et al). 2001;107:936 (Editors' choice)
Normally suppressing CD40 coregulatory signals delivered by airway macrophages to T_H2 lymphocytes are defective in patients with atopic asthma (Tang et al). 2001;107:863-70
Occupational asthma caused by IgE-mediated reactivity to *Antaris* wood dust (Higuero et al). 2001;107:554-6 (Letter)
Occupational asthma in symptomatic workers exposed to natural rubber latex: evaluation of diagnostic procedures (Vandenplas et al). 2001;107:542-7
One-year claims analysis comparing inhaled fluticasone propionate with zafirlukast for the treatment of asthma (Stempel et al). 2001;107:94-8
Overexpression of IL-10 mRNA in gut mucosa of patients with allergic asthma (Lamblin et al). 2001;107:739-41 (Brief communication)
PDGF plays an important role in asthma via airway remodeling (Leung et al). 2001;107:1 (Editors' choice)
Persistent airflow limitation in adult-onset nonatopic asthma is associated with serologic evidence of *Chlamydia pneumoniae* infection (ten Brinke et al). 2001;107:449-54
Pets and asthma (Leung et al). 2001;107:417 (Editors' choice)
The prevalence of environmental exposure to perceived asthma triggers in children with mild-to-moderate asthma: data from the Childhood Asthma Management Program (CAMP) (Weiss et al). 2001;107:634-40
Predictive markers of asthma exacerbation during stepwise dose reduction of inhaled corticosteroids (Zweiman and Rothenberg). 2001;107:1111 (Beyond our pages)
Proteases may induce eosinophil accumulation in the airways in asthma (Leung et al). 2001;107:566 (Editors' choice)
Pulmonary T cells and eosinophils: coconspirators or independent triggers of allergic respiratory pathology? (Lee et al). 2001;107:945-57
"Real world" analysis confirms the advantages of inhaled corticosteroids (Leung et al). 2001;107:2 (Editors' choice)
Rhinosinusitis in severe asthma (Bresciani et al). 2001;107:73-80
The role and abatement of fungal allergens in allergic diseases (Bush and Portnoy). 2001;107:S430-40
A role for complement in the effector phase of asthma (Zweiman et al). 2001;107:199-200 (Beyond our pages)
Role of IL-9 in the pathophysiology of allergic diseases (Soussi-Gounni et al). 2001;107:575-82
Socioeconomic status and risk of sensitization (Leung et al). 2001;107:566 (Editors' choice)
Systematic review: exposure to pets and risk of asthma and asthma-like symptoms (Apelberg et al). 2001;107:455-60
T_H2 cytokine-associated transcription factors in atopic and nonatopic asthma: evidence for differential signal transducer and activator of transcription 6 expression (Christodoulopoulos et al). 2001;107:586-91 (Rapid publication)
Vascular endothelial growth factor in patients with acute asthma (Lee and Lee). 2001;107:1106 (Letter)
What is "more effective asthma control"? (Nelson). 2001;107:1009 (Letter reply)
What is "more effective asthma control"? (O'Brien and Bukstein). 2001;107:1007-8 (Letter)

Asthma, pediatric

Assessment of health status and quality of life outcomes for children with asthma (Annett). 2001;107:S473-81
Association of IFN-γ and IFN regulatory factor 1 polymorphisms with childhood atopic asthma (Nakao et al). 2001;107:499-504
Barriers to measuring and achieving optimal outcomes in pediatric asthma (Naspitz and Tinkelman). 2001;107:S482-4
Challenges in assessing outcomes for pediatric asthma (Szefler). 2001;107:S456-64
Effect of long-term inhaled steroid treatment on adult height in asthma (Zweiman et al). 2001;107:563 (Beyond our pages)
FEV_1 is associated with risk of asthma attacks in the pediatric population (Fuhlbrigge et al). 2001;107:61-7

Links between pediatric and adult asthma (Martinez). 2001;107:S449-55
Long-term effects of budesonide or nedocromil on childhood asthma (Zweiman et al). 2001;107:563 (Beyond our pages)
Outcomes in pediatric asthma: introduction (Becker). 2001;107:S443-4
Outcomes in pediatric asthma: what are the important issues (Becker). 2001;107:S485-6
Pediatric asthma assessment: validation of 2 symptom diaries (Santanello). 2001;107:S465-72
Understanding the economic burden of asthma (Gergen). 2001;107:S445-8

Atopic dermatitis; *see* Dermatitis, atopic

Atopy
Antibiotic use during infancy promotes a shift in the T_H1/T_H2 balance toward T_H2-dominant immunity in mice (Oyama et al). 2001;107:153-9
Asthma, atopy, and bronchial hyperreactivity in twins (Zweiman and Rothenberg). 2001;107:931 (Beyond our pages)
CD14-dependent airway neutrophil response to inhaled LPS: role of atopy (Alexis et al). 2001;107:31-5 (Rapid publication)
Childhood risk factors for atopy and the importance of early intervention (Wahn and von Mutius). 2001;107:567-74
Distinct patterns of neonatal gut microflora in infants in whom atopy was and was not developing (Kalliomäki et al). 2001;107:129-34
Fusion protein vesicle-associated membrane protein 2 is implicated in IFN-γ-induced piecemeal degranulation in human eosinophils from atopic individuals (Lacy et al) 2001;107:671-8. Correction 2001;107:1008
Healthy subjects express differences in clinical responses to inhaled lipopolysaccharide that are related with inflammation and with atopy (Michel et al). 2001;107:797-804
Human endotoxin susceptibility and the risk of atopy (Leung et al). 2001;107:764 (Editors' choice)
IL-16 inhibits IL-5 production by antigen-stimulated T cells in atopic subjects (Pinsonneault et al). 2001;107:477-82
Influence of CD40 expression on atopic immune responses (Leung et al). 2001;107:763 (Editors' choice)
Prematurity at birth reduces the long-term risk of atopy (Siltanen et al). 2001;107:229-34
T_H2 lymphocytes from atopic patients treated with immunotherapy undergo rapid apoptosis after culture with specific allergens (Guerra et al). 2001;107:647-53

Autoimmunity
Mechanisms of autoimmune activation of basophils in chronic urticaria (Kikuchi and Kaplan). 2001;107:1056-62

B

Baker's asthma
Identification of wheat flour allergens by means of 2-dimensional immunoblotting (Sander et al). 2001;107:907-13

Basogranulin
Mass, charge, and subcellular localization of a unique secretory product identified by the basophil-specific antibody BB1 (McEuen et al). 2001;107:842-8

Basophils
Expression and modulation of FcεRIα and FcεRIβ in human blood basophils (Saini et al). 2001;107:832-41
IL-4-producing basophils in late reactions of the lung (Leung et al). 2001;107:201 (Editors' choice)
IL-4 production by human basophils found in the lung following segmental allergen challenge (Schroeder et al). 2001;107:265-71
Mass, charge, and subcellular localization of a unique secretory product identified by the basophil-specific antibody BB1 (McEuen et al). 2001;107:842-8
Mechanisms of autoimmune activation of basophils in chronic urticaria (Kikuchi and Kaplan). 2001;107:1056-62

Bee venom
Api m 6: a new bee venom allergen (Kettner et al). 2001;107:914-20

Benzalkonium chloride (BAC)
Call for worldwide withdrawal of benzalkonium chloride from nebulizer solutions (Beasley et al). 2001;107:222-23 (Editorial)

Beta agonists
Long-acting β-agonists and asthma exacerbations (Leung et al). 2001;107:763 (Editors' choice)

Biotechnology
Will genetically modified foods be allergenic? (Taylor and Hefle). 2001;107:765-71

Bird's nest
Immunochemical characterization of edible bird's nest allergens (Meng et al). 2001;107:1082-8

Bites and stings
Fatal insect allergy after discontinuation of venom immunotherapy (Golden). 2001;107:925-6 (Letter)
Insect sting allergy: the dilemma of the negative skin test reactor (Reisman). 2001;107:781-2 (Editorial)
Insect sting allergy with negative venom skin test responses (Golden et al). 2001;107:897-901
Insect sting fatality 9 years after venom treatment (venom allergy, fatality) (Light). 2001;107:925 (Letter)
Premedication with antihistamines may enhance efficacy of specific-allergen immunotherapy (Müller et al). 2001;107:81-6

B lymphocytes
An obligate role for T-cell receptor $\alpha\beta^+$ T cells but not

T-cell receptor γδ+ T cells, B cells, or CD40/CD40L interactions in a mouse model of atopic dermatitis (Woodward et al). 2001;107:359-66

Bone density

Inhaled corticosteroid use and bone density in patients with asthma (Zweiman et al). 2001;107:199 (Beyond our pages)

Brief communications

Brief communications. 2001;107:194-5, 2001;107:384-90, 2001;107:732-41, 2001;107:921-3

Bronchial hyperresponsiveness

Enhanced production of leukotrienes by peripheral leukocytes and specific IgE antibodies in patients with chronic obstructive pulmonary disease (Mitsunobu et al). 2001;107:492-8

IgE regulation and roles in asthma pathogenesis (Oettgen and Geha). 2001;107:429-40. Correction 2001;107:591

Role of IL-9 in the pathophysiology of allergic diseases (Soussi-Gounni et al). 2001;107:575-82

Bronchial mucosa

Bronchial mucosa produced by tissue engineering: a new tool to study cellular interactions in asthma (Chakir et al). 2001;107:36-40 (Rapid publication)

Tissue-engineered bronchial mucosa (Leung et al). 2001;107:2 (Editors' choice)

Bronchoalveolar lavage (BAL)

Basic fibroblast growth factor in asthma: measurement in bronchoalveolar lavage fluid basally and following allergen challenge (Redington et al). 2001;107:384-7 (Brief communication)

T_H1/T_H2 and T_C1/T_C2 profiles in peripheral blood and bronchoalveolar lavage fluid cells in pulmonary sarcoidosis (Inui et al). 2001;107:337-44

Bronchoconstriction

Eosinophil recruitment to the airway nerves (Jacoby et al). 2001;107:211-18

Budesonide

Eosinophil markers in blood, serum, and urine for monitoring the clinical course in childhood asthma: impact of budesonide treatment and withdrawal (Lönnkvist et al). 2001;107:812-17

Long-term effects of budesonide or nedocromil on childhood asthma (Zweiman et al). 2001;107:563 (Beyond our pages)

C

Caesarean section

Caesarean section and risk of asthma and allergy in adulthood (Xu et al). 2001;107:732-3 (Brief communication)

Calcium, intracellular

Effects of purine and pyrimidine nucleotides on intracellular $Ca2^+$ in human eosinophils: activation of purinergic P2Y receptors (Mohanty et al). 2001;107:849-55

Casein

Identification of IgE-and IgG-binding epitopes on α_{s1}-casein: differences in patients with persistent and transient cow's milk allergy (Chatchatee et al). 2001;107:379-83

Inhalative allergy to Hyfoama DS, a casein derivative (Bader et al). 2001;107:198 (Letter)

Caspase inhibitors

Caspase inhibitors for sepsis (Zweiman et al). 2001;107:564 (Beyond our pages)

Cats

Pets and asthma (Leung et al). 2001;107:417 (Editors' choice)

The role and remediation of animal allergens in allergic diseases (Chapman and Wood). 2001;107:S414-21

Systematic review: exposure to pets and risk of asthma and asthma-like symptoms (Apelberg et al). 2001;107:455-60

CD40

Influence of CD40 expression on atopic immune responses (Leung et al). 2001;107:763 (Editors' choice)

Normally suppressing CD40 coregulatory signals delivered by airway macrophages to T_H2 lymphocytes are defective in patients with atopic asthma (Tang et al). 2001;107:863-70

Chemokines

Chemokine receptors as functional decoys (Zweiman et al). 2001;107:563-4 (Beyond our pages)

Expression of IFN-γ–inducible protein; monocyte chemotactic proteins 1, 3, and 4; and eotaxin in T_H1- and T_H2-mediated lung diseases (Miotto et al). 2001;107:664-70

Regulatory effect of histamine H1 receptor antagonist on the expression of messenger RNA encoding CC chemokines in the human nasal mucosa (Fujikura et al). 2001;107:123-8

Synergistic effects of lipid and chemokine mediators on eosinophils (Leung et al). 2001;107:201 (Editors' choice)

Thymus and activation-regulated chemokine in atopic dermatitis: serum thymus and activation-regulated chemokine level is closely related with disease activity (Kakinuma et al). 2001;107:535-41

Chemotaxis

Eotaxin and RANTES enhance 5-oxo-6,8,11,14-eicosatetraenoic acid-induced eosinophil chemotaxis (Powell et al). 2001;107:272-78

Childhood Asthma Management Program (CAMP)

Challenges in assessing outcomes for pediatric asthma (Szefler). S456-64

House dust mite and cockroach exposure are strong risk factors for positive allergy skin test responses in the Childhood Asthma Management Program (Huss et al). 2001;107:48-54

The prevalence of environmental exposure to per-

ceived asthma triggers in children with mild-to-moderate asthma: data from the Childhood Asthma Management Program (CAMP) (Weiss et al). 2001;107:634-40

Children *see also* Asthma, pediatric

Association of IFN-gg and IFN regulatory factor 1 polymorphisms with childhood atopic asthma (Nakao et al). 2001;107:499-504

Atopy patch tests, together with determination of specific IgE levels, reduce the need for oral food challenges in children with atopic dermatitis (Roehr et al). 2001;107:548-53. Correction 796

Childhood risk factors for atopy and the importance of early intervention (Wahn and von Mutius). 2001;107:567-74

Effect of long-term inhaled steroid treatment on adult height in asthma (Zweiman et al). 2001;107:563 (Beyond our pages)

Eosinophil markers in blood, serum, and urine for monitoring the clinical course in childhood asthma: impact of budesonide treatment and withdrawal (Lönnkvist et al). 2001;107:812-17

FEV_1 is associated with risk of asthma attacks in the pediatric population (Fuhlbrigge et al). 2001;107:61-7

IgE in unselected like-sexed monozygotic and dizygotic twins at birth and at 6 to 9 years of age: high but dissimilar genetic influence on IgE levels (Jacobsen et al). 2001;107:659-63

Intradermal administration of a killed *Mycobacterium vaccae* suspension (SRL 172) is associated with improvement in atopic dermatitis in children with moderate-to-severe disease (Arkwright and David). 2001;107:531-4

Intradermal mycobacterial antigen administration ameliorates atopic dermatitis in children (Leung et al). 2001;107:418 (Editors' choice)

Prevention of acute urticaria in young children with atopic dermatitis (Simons et al). 2001;107:703-6

Study of twin children shows high genetic influence on IgE (Leung et al). 2001;107:565 (Editors' choice)

Chlamydia

A link between chronic asthma and chronic infection (Martin et al). 2001;107:595-601

Chlamydia pneumoniae

Persistent airflow limitation in adult-onset nonatopic asthma is associated with serologic evidence of *Chlamydia pneumoniae* infection (ten Brinke et al). 2001;107:449-54

Chromosome(s)

Chromosome 14 linkage analysis and mutation study of 2 serpin genes in allergic asthmatic families (Malerba et al). 2001;107:654-8

Chronic obstructive pulmonary disease (COPD)

Enhanced production of leukotrienes by peripheral leukocytes and specific IgE antibodies in patients with chronic obstructive pulmonary disease (Mitsunobu et al). 2001;107:492-8

Cleidocranial dysplasia

Association of humoral immunodeficiency, cleidocranial dysplasia, and von Willebrand's disease in a family cluster (Kelkar and Ten). 2001;107:742 (Letter)

Cockroaches

Cockroach allergens and asthma (Arruda et al). 2001;107:419-28

Ecology and elimination of cockroaches and allergens in the home (Eggleston and Arruda). 2001;107:S422-9

Environmental allergen avoidance: an overview (Eggleston and Bush). 2001;107:S403-5

Exposure to cockroach allergen in the home is associated with incident doctor-diagnosed asthma and recurrent wheezing (Litonjua et al). 2001;107:41-7

House dust mite and cockroach exposure are strong risk factors for positive allergy skin test responses in the Childhood Asthma Management Program (Huss et al). 2001;107:48-54

Complement

Complement factor 5 is a genetic susceptibility locus for experimental allergic asthma (Zweiman et al). 2001;107:200 (Beyond our pages)

A role for complement in the effector phase of asthma (Zweiman et al). 2001;107:199-200 (Beyond our pages)

Cooking methods

Effects of cooking methods on peanut allergenicity (Beyer et al). 2001;107:1077-81

Method of cooking affects peanut allergens (Leung et al). 2001;107:936 (Editors' choice)

Copper chlorophyll

Food intolerance due to wine gums: identification of copper chlorophyll (E141) as a possible pseudoallergen (Böhm et al). 2001;107:393-4 (Letter)

Corn allergy

Double-blind, placebo-controlled corn challenge resulting in anaphylaxis (Tanaka et al). 2001;107:744 (Letter)

Corrections

Airway mast cells and eosinophils correlate with clinical severity and airway hyperresponsiveness in corticosteroid-treated asthma (Gibson et al) (2000;105:752-9). 2001;107:223

Antigen-specific and nonspecific determinants of cytokine production during topical sensitization of mice to chemical allergens (Moussavi et al) (2000;106:357-68). 2001;107:80

Atopy patch tests, together with determination of specific IgE levels, reduce the need for oral food challenges in children with atopic dermatitis (Roehr et al) (2001;107:548-53). Correction 2001;107:796

Fluticasone propionate/salmeterol combination provides more effective asthma control than low-dose inhaled corticosteroid plus montelukast (Nelson et al) (2000;106:1088-95). 2001;107:614

Fusion protein vesicle-associated membrane protein

2 is implicated in IFN-γ–induced piecemeal degranulation in human eosinophils from atopic individuals (Lacy et al) (2001;107:671-8). 2001;107:1008
IgE regulation and roles in asthma pathogenesis (Oettgen and Geha) (2001;107:429-40). 2001;107:591

Correspondence
Anaphylaxis to oxybenzone, a frequent constituent of sunscreens (Emonet et al). 2001;107:556-7
Association of humoral immunodeficiency, cleidocranial dysplasia, and von Willebrand's disease in a family cluster (Kelkar and Ten). 2001;107:742
Coronary and laryngeal spasm provoked by methacholine inhalation (Parameswaran et al). 2001;107:392-3
Esophageal leiomyoma incidentally recognized during an acute attack of hereditary angioneurotic edema (Farkas et al). 2001;107:926-7 (Letter)
Fatal insect allergy after discontinuation of venom immunotherapy (Golden). 2001;107:925-6 (Letter)
Fatal latex allergy (Pumphrey et al). 2001;107:558
Ferret allergy (Codina et al). 2001;107:927 (Letter)
Human skin mast cells adhere to vitronectin via the $\alpha v\beta_3$ integrin receptor (CD51/CD61) (Columbo and Bochner). 2001;107:554
Inhalative allergy to Hyfoama DS, a casein derivative (Bader et al). 2001;107:198
Insect sting fatality 9 years after venom treatment (venom allergy, fatality) (Light). 2001;107:925 (Letter)
Leukotriene C_4 synthase polymorphism and aspirin-induced asthma (Penrose). 2001;107:561-2 (Letter reply)
Leukotriene C_4 synthase polymorphism and aspirin-induced asthma (Sanak and Szczeklik). 2001;107:561 (Letter)
Occupational asthma caused by IgE-mediated reactivity to *Antaris* wood dust (Higuero et al). 2001;107:554-6
Peanut allergy: children who lose the positive skin test response (Zimmerman and Urch). 2001;107:558-9
Perennial rhinitis induced by benzoate intolerance (Asero). 2001;107:197
Selective severe anaphylactic reaction due to ketorolac tromethamine without nonsteroidal anti-inflammatory drug intolerance (Scala et al). 2001;107:557
Successful treatment of eosinophilic gastroenteritis with suplatast tosilate (Shirai et al). 2001;107:924-5
Tacrolimus (FK506): new treatment approach in superantigen-associated diseases like atopic dermatitis? (Hauk and Leung). 2001;107:391-2
Tacrolimus ointment reduces staphylococcal colonization of atopic dermatitis lesions (Remitz et al). 2001;107:196
Ultrarush immunotherapy in patients with Hymenoptera venom allergy (Brehler et al). 2001;107:928-9 (Letter reply)
Ultrarush immunotherapy in patients with Hymenoptera venom allergy (Ruëff and Przybilla). 2001;107:928
Vascular endothelial growth factor in patients with acute asthma (Lee and Lee). 2001;107:1106
In vitro allergy testing (Perelmutter). 2001;107:560
In vitro allergy testing (Williams et al). 2001;107:560-1 (Letter reply)
What is "more effective asthma control"? (Nelson). 2001;107:1009 (Letter reply)
What is "more effective asthma control"? (O'Brien and Bukstein). 2001;107:1007-8

Corticosteroids
Acute anti-inflammatory effects of inhaled corticosteroids in asthma (Zweiman and Rothenberg). 2001;107:1111 (Beyond our pages)
Addition of salmeterol to low-dose fluticasone versus higher-dose fluticasone: an analysis of asthma exacerbations (Matz et al). 2001;107:783-9
Advair: combination treatment with fluticasone propionate/salmeterol in the treatment of asthma (Nelson). 2001;107:398-416 (New products)
Corticosteroids and airway remodeling: friend or foe? (Leung et al). 2001;107:565 (Editors' choice)
Effect of long-term inhaled steroid treatment on adult height in asthma (Zweiman et al). 2001;107:563 (Beyond our pages)
Fluticasone propionate aqueous nasal spray reduces inflammatory cells in unchallenged allergic nasal mucosa: effects of single allergen challenge (Holm et al). 2001;107:627-33
Fluticasone propionate/salmeterol combination (Lipworth). 2001;107:746 (Letter)
Fluticasone propionate/salmeterol combination (Nelson). 2001;107:746 (Letter reply)
Inhaled corticosteroids: impact on asthma morbidity and mortality (Suissa and Ernst). 2001;107:937-44
Inhaled corticosteroid use and bone density in patients with asthma (Zweiman et al). 2001;107:199 (Beyond our pages)
Inhaled versus oral steroid treatment for acute asthma (Zweiman et al). 2001;107:395 (Beyond our pages)
Long-term effects of budesonide or nedocromil on childhood asthma (Zweiman et al). 2001;107:563 (Beyond our pages)
Low-dose fluticasone propionate compared with montelukast for first-line treatment of persistent asthma: a randomized clinical trial (Busse et al). 2001;107:461-8
Predictive markers of asthma exacerbation during stepwise dose reduction of inhaled corticosteroids (Zweiman and Rothenberg). 2001;107:1111 (Beyond our pages)
A randomized controlled study evaluating medical

treatment versus surgical treatment in addition to medical treatment of nasal polyposis (Blomqvist et al). 2001;107:224-28

"Real world" analysis confirms the advantages of inhaled corticosteroids (Leung et al). 2001;107:2 (Editors' choice)

Costs and cost analysis

The health economics of asthma and rhinitis. I. Assessing the economic impact (Weiss and Sullivan). 2001;107:3-8

Health economics of asthma and rhinitis. II. Assessing the value of interventions (Sullivan and Weiss). 2001;107:203-10

Understanding the economic burden of asthma (Gergen). 2001;107:S445-8

Cows' milk hypersensitivity; *see* Milk hypersensitivity

Cross-reactivity

Allergy caused by ingestion of persimmon *(Diospyros kaki)*: detection of specific IgE and cross-reactivity to profilin and carbohydrate determinants (Anliker et al). 2001;107:718-23

Cross-reactivity studies of a new group 2 allergen from the dust mite *Glycyphagus domesticus*, Gly d 2, and group 2 allergens from *Dermatophagoides pteronyssinus*, *Lepidoglyphus destructor*, and *Tyrophagus putrescentiae* with recombinant allergens (Gafvelin et al). 2001;107:511-18

Group 13 grass allergens: structural variability between different grass species and analysis of proteolytic stability (Petersen et al). 2001;107:856-62

The molecular basis of antigenic cross-reactivity between the group 2 mite allergens (Smith et al). 2001;107:977-84

Cystic fibrosis

Fifteen-year follow-up of pulmonary function in individuals heterozygous for the cystic fibrosis phenylalanine-508 deletion (Dahl et al). 2001;107:818-23

Cytokines

Human eosinophils constitutively express nuclear factor of activated T cells p and c (Seminario et al). 2001;107:143-52

IL-10-/-mice reveal potential danger of cytokine therapy in asthma (Leung et al). 2001;107:418 (Editors' choice)

IL-18 might reflect disease activity in mild and moderate asthma exacerbation (Tanaka et al). 2001;107:331-6

The other side of the coin: the protective role of the T_H2 cytokines (Finkelman and Urban). 2001;107:772-80

Role of IL-9 in the pathophysiology of allergic diseases (Soussi-Gounni et al). 2001;107:575-82

D

Dendritic cells

Epidermal dendritic cells in atopic dermatitis: a target for tacrolimus ointment? (Leung et al). 2001;107:418 (Editors' choice)

Expression of the high-affinity IgE receptor on peripheral blood dendritic cells: differential binding of IgE in atopic asthma (Holloway et al). 2001;107:1009-18

Myeloid dendritic cells induce T_H2 responses to inhaled allergens (Zweiman et al). 2001;107:199 (Beyond our pages)

Topical tacrolimus (FK506) leads to profound phenotypic and functional alterations of epidermal antigen-presenting dendritic cells in atopic dermatitis (Wollenberg et al). 2001;107:519-25

Dermatitis, atopic

An obligate role for T-cell receptor $\alpha\beta^+$ T cells but not T-cell receptor $\gamma\delta^+$ T cells, B cells, or CD40/CD40L interactions in a mouse model of atopic dermatitis (Woodward et al). 2001;107:359-66

Atopy patch tests, together with determination of specific IgE levels, reduce the need for oral food challenges in children with atopic dermatitis (Roehr et al). 2001;107:548-53. Correction 796

$CCR4^+$ memory $CD4^+$ T lymphocytes are increased in peripheral blood and lesional skin from patients with atopic dermatitis (Nakatani et al). 2001;107:353-8

Different expression of chemokines in keratinocytes from patients with atopic dermatitis and keratinocytes from patients with psoriasis (Leung et al). 2001;107:764 (Editors' choice)

Epidermal dendritic cells in atopic dermatitis: a target for tacrolimus ointment? (Leung et al). 2001;107:418 (Editors' choice)

Genetic locus for atopic dermatitis (Zweiman and Rothenberg). 2001;107:750 (Beyond our pages)

Human epidermal Langerhans' cells are targets for the immunosuppressive macrolide tacrolimus (FK506) (Panhans-Groβ et al). 2001;107:345-52

Intradermal administration of a killed *Mycobacterium vaccae* suspension (SRL 172) is associated with improvement in atopic dermatitis in children with moderate-to-severe disease (Arkwright and David). 2001;107:531-4

Intradermal mycobacterial antigen administration ameliorates atopic dermatitis in children (Leung et al). 2001;107:418 (Editors' choice)

Keratinocytes from patients with atopic dermatitis and psoriasis show a distinct chemokine production profile in response to T cell-derived cytokines (Giustizieri et al). 2001;107:871-7

Levels of circulating $CD8^+$ T lymphocytes, natural killer cells, and eosinophils increase upon acute psychosocial stress in patients with atopic dermatitis (Schmid-Ott et al). 2001;107:171-7

Murine model of atopic dermatitis associated with food hypersensitivity (Li et al). 2001;107:693-702

Perforin hyperreleasability and depletion in cytotoxic T cells from patients with exacerbated atopic dermatitis and asymptomatic rhinoconjunctivitis allergica (Ambach et al). 2001;107:878-86

Prevention of acute urticaria in young children with atopic dermatitis (Simons et al). 2001;107:703-6
Tacrolimus: a new topical immunomodulatory therapy for atopic dermatitis (Reitamo). 2001;107:445-8 (Editorial)
Tacrolimus (FK506): new treatment approach in superantigen-associated diseases like atopic dermatitis? (Hauk and Leung). 2001;107:391-2 (Letter)
Tacrolimus ointment reduces staphylococcal colonization of atopic dermatitis lesions (Remitz et al). 2001;107:196 (Letter)
Thymus and activation-regulated chemokine in atopic dermatitis: serum thymus and activation-regulated chemokine level is closely related with disease activity (Kakinuma et al). 2001;107:535-41
Topical tacrolimus (FK506) leads to profound phenotypic and functional alterations of epidermal antigen-presenting dendritic cells in atopic dermatitis (Wollenberg et al). 2001;107:519-25

Dexamethasone
IL-4, IL-13, and dexamethasone augment fibroblast proliferation in asthma (Kraft et al). 2001;107:602-6

Diaries, symptom
Pediatric asthma assessment: validation of 2 symptom diaries (Santanello). 2001;107:S465-72

Diphenhydramine
Getting the real "skinny" on antihistamine distribution (Leung et al). 2001;107:417 (Editors' choice)
Skin concentrations of H_1-receptor antagonists (Simons et al). 2001;107:526-30

Dogs
Comparing conventional and acetone-precipitated dog allergen extract skin testing (Meiser and Nelson). 2001;107:744-5 (Letter)
Pets and asthma (Leung et al). 2001;107:417 (Editors' choice)
Systematic review: exposure to pets and risk of asthma and asthma-like symptoms (Apelberg et al). 2001;107:455-60

Drugs
Medical versus surgical treatment of nasal polyps (Leung et al). 2001;107:202 (Editors' choice)
A randomized controlled study evaluating medical treatment versus surgical treatment in addition to medical treatment of nasal polyposis (Blomqvist et al). 2001;107:224-28

E

Editorials
Editorials. 2001;107:19-21, 2001;107:219-23, 2001;107:445-8, 2001;107:583-5, 2001;107:781-2

EDTA
Pulmonary function response to EDTA, an additive in nebulized bronchodilators (Asmus et al). 2001;107:68-72

Eicosanoids
Effects of glucocorticoids on endogenous and transcellular metabolism of eicosanoids in asthma (Vachier et al). 2001;107:824-31

Endotoxins
CD14-dependent airway neutrophil response to inhaled LPS: role of atopy (Alexis et al). 2001;107:31-5 (Rapid publication)
Healthy subjects express differences in clinical responses to inhaled lipopolysaccharide that are related with inflammation and with atopy (Michel et al). 2001;107:797-804
Human endotoxin susceptibility and the risk of atopy (Leung et al). 2001;107:764 (Editors' choice)
Metropolitan home living conditions associated with indoor endotoxin levels (Gereda et al). 2001;107:790-6

Environment
The biology of dust mites and the remediation of mite allergens in allergic disease (Arlian and Platts-Mills). 2001;107:S406-13
Ecology and elimination of cockroaches and allergens in the home (Eggleston and Arruda). 2001;107:422-9
Environmental allergen avoidance: an overview (Eggleston and Bush). 2001;107:S403-5
Eradication of house dust mite from homes of atopic asthmatic subjects: a double-blind trial (Htut et al). 2001;107:55-60
Extreme environments and the immune system: effects of spaceflight on immune responses (Sonnenfeld). 2001;107:19-20 (Editorial)
Idiopathic environmental intolerance: increased prevalence of panic disorder-associated cholecystokinin B receptor allele 7 (Binkley et al). 2001;107:887-90
Metropolitan home living conditions associated with indoor endotoxin levels (Gereda et al). 2001;107:790-6
The prevalence of environmental exposure to perceived asthma triggers in children with mild-to-moderate asthma: data from the Childhood Asthma Management Program (CAMP) (Weiss et al). 2001;107:634-40
The role and remediation of animal allergens in allergic diseases (Chapman and Wood). 2001;107:S414-21

Eosinophil(s)
Effects of purine and pyrimidine nucleotides on intracellular $Ca2^+$ in human eosinophils: activation of purinergic P2Y receptors (Mohanty et al). 2001;107:849-55
Eosinophil markers in blood, serum, and urine for monitoring the clinical course in childhood asthma: impact of budesonide treatment and withdrawal (Lönnkvist et al). 2001;107:812-17
Eosinophil recruitment to the airway nerves (Jacoby et al). 2001;107:211-18

Fusion protein vesicle-associated membrane protein 2 is implicated in IFN-γ-induced piecemeal degranulation in human eosinophils from atopic individuals (Lacy et al). 2001;107:671-8. Correction 2001;107:1008

Human eosinophils constitutively express nuclear factor of activated T cells p and c (Seminario et al). 2001;107:143-52

Human eosinophils induce histamine release from antigen-activated rat peritoneal mast cells: a possible role for mast cells in late-phase allergic reactions (Piliponsky et al). 2001;107:993-1000

The human genome project (Zweiman and Rothenberg). 2001;107:1110 (Beyond our pages)

Inflammatory cell and epithelial characteristics of perennial allergic and nonallergic rhinitis with a symptom history of 1 to 3 years' duration (Amin et al). 2001;107:249-57

Levels of circulating CD8+ T lymphocytes, natural killer cells, and eosinophils increase upon acute psychosocial stress in patients with atopic dermatitis (Schmid-Ott et al). 2001;107:171-7

Proteases may induce eosinophil accumulation in the airways in asthma (Leung et al). 2001;107:566 (Editors' choice)

Pulmonary T cells and eosinophils: coconspirators or independent triggers of allergic respiratory pathology? (Lee et al). 2001;107:945-57

Rhinosinusitis in severe asthma (Bresciani et al). 2001;107:73-80

Synergistic effects of lipid and chemokine mediators on eosinophils (Leung et al). 2001;107:201 (Editors' choice)

Total and specific IgE in nasal polyps is related to local eosinophilic inflammation (Bachert et al). 2001;107:607-14

Eosinophilia

Nasal allergen provocation induces adhesion molecule expression and tissue eosinophilia in upper and lower airways (Braunstahl et al). 2001;107:469-76

Eosinophilic gastroenteritis

Successful treatment of eosinophilic gastroenteritis with suplatast tosilate (Shirai et al). 2001;107:924-5 (Letter)

Eosinophilic rhinitis

Allergic and nonallergic eosinophilic rhinitis: more similar than different? (Leung et al). 2001;107:201 (Editors' choice)

Eotaxin

Eotaxin and RANTES enhance 5-oxo-6,8,11,14-eicosatetraenoic acid-induced eosinophil chemotaxis (Powell et al). 2001;107:272-78

Expression of IFN-γ–inducible protein; monocyte chemotactic proteins 1, 3, and 4; and eotaxin in T_H1- and T_H2-mediated lung diseases (Miotto et al). 2001;107:664-70

Epithelial cells

Airway epithelial cells release eosinophil survival-promoting factors (GM-CSF) after stimulation of proteinase-activated receptor 2 (Vliagoftis et al). 2001;107:679-85

CD95-dependent apoptosis of lung epithelial cells is critically involved in host defense against *Pseudomonas aeruginosa* (Zweiman et al). 2001;107:396 (Beyond our pages)

Effect of ozone and nitrogen dioxide on the release of proinflammatory mediators from bronchial epithelial cells of nonatopic nonasthmatic subjects and atopic asthmatic patients in vitro (Bayram et al). 2001;107:287-94

Histamine alters gene expression in cultured human nasal epithelial cells (Takeuchi et al). 2001;107:310-4

Rhinovirus infection induces expression of type 2 nitric oxide synthase in human respiratory epithelial cells in vitro and in vivo (Sanders et al). 2001;107:235-43

Epithelium

Inflammatory cell and epithelial characteristics of perennial allergic and nonallergic rhinitis with a symptom history of 1 to 3 years' duration (Amin et al). 2001;107:249-57

Epitopes

Identification of IgE-and IgG-binding epitopes on α_{s1}-casein: differences in patients with persistent and transient cow's milk allergy (Chatchatee et al). 2001;107:379-83

Esophageal leiomyoma

Esophageal leiomyoma incidentally recognized during an acute attack of hereditary angioneurotic edema (Farkas et al). 2001;107:926-7 (Letter)

Esophagitis

An experimental model of aeroallergen-induced esophagitis (Zweiman and Rothenberg). 2001;107:930 (Beyond our pages)

F

Ferret allergy

Ferret allergy (Codina et al). 2001;107:927 (Letter)

Fexofenadine

Skin concentrations of H_1-receptor antagonists (Simons et al). 2001;107:526-30

Fluticasone propionate

Addition of salmeterol to low-dose fluticasone versus higher-dose fluticasone: an analysis of asthma exacerbations (Matz et al). 2001;107:783-9

Advair: combination treatment with fluticasone propionate/salmeterol in the treatment of asthma (Nelson). 2001;107:398-416 (New products)

Fluticasone propionate aqueous nasal spray reduces inflammatory cells in unchallenged allergic nasal mucosa: effects of single allergen challenge (Holm et al). 2001;107:627-33

Fluticasone propionate/salmeterol combination (Lipworth). 2001;107:746 (Letter)

Fluticasone propionate/salmeterol combination (Nelson). 2001;107:746 (Letter reply)

Low-dose fluticasone propionate compared with montelukast for first-line treatment of persistent asthma: a randomized clinical trial (Busse et al). 2001;107:461-8
One-year claims analysis comparing inhaled fluticasone propionate with zafirlukast for the treatment of asthma (Stempel et al). 2001;107:94-8

Food(s)
Will genetically modified foods be allergenic? (Taylor and Hefle). 2001;107:765-71

Food additives
Perennial rhinitis induced by benzoate intolerance (Asero). 2001;107:197 (Letter)

Food challenge
Double-blind, placebo-controlled corn challenge resulting in anaphylaxis (Tanaka et al). 2001;107:744 (Letter)
Exercise-induced anaphylaxis requiring 2 foods (Leung et al). 2001;107:935 (Editors' choice)
The natural history of peanut allergy (Skolnick et al). 2001;107:367-74
The necessity for dual food intake to provoke food-dependent exercise-induced anaphylaxis (FEIAn): a case report of FEIAn with simultaneous intake of wheat and *umeboshi* (Aihara et al). 2001;107:1100-5
No correlation between wine intolerance and histamine content of wine (Kanny et al). 2001;107:375-8
Utility of food-specific IgE concentrations in predicting symptomatic food allergy (Sampson). 2001;107:881-6

Food hypersensitivity
Don't let the food allergy guards fall asleep! (Leung et al). 2001;107:1 (Editors' choice)
Exercise-induced anaphylaxis requiring 2 foods (Leung et al). 2001;107:935 (Editors' choice)
Fatalities due to anaphylactic reactions to foods (Bock et al). 2001;107:191-3
Food intolerance due to wine gums: identification of copper chlorophyll (E141) as a possible pseudoallergen (Böhm et al). 2001;107:393-4 (Letter)
Isolation and molecular characterization of the first genomic clone of a major peanut allergen, Ara h (Viquez et al). 2001;107:713-17
Murine model of atopic dermatitis associated with food hypersensitivity (Li et al). 2001;107:693-702
The natural history of peanut allergy (Skolnick et al). 2001;107:367-74
The necessity for dual food intake to provoke food-dependent exercise-induced anaphylaxis (FEIAn): a case report of FEIAn with simultaneous intake of wheat and *umeboshi* (Aihara et al). 2001;107:1100-5
Utility of food-specific IgE concentrations in predicting symptomatic food allergy (Sampson). 2001;107:881-6

Forced expiratory volume (FEV_1)
FEV_1 is associated with risk of asthma attacks in the pediatric population (Fuhlbrigge et al). 2001;107:61-7

Fruits
Recombinant allergens Pru av 1 and Pru av 4 and a newly identified lipid transfer protein in the in vitro diagnosis of cherry allergy (Scheurer et al). 2001;107:724-31

Fungi
Environmental allergen avoidance: an overview (Eggleston and Bush). 2001;107:S403-5
Improving fungal extracts (Leung et al). 2001;107:566 (Editors' choice)
Quantitation of the major fungal allergens, Alt a 1 and Asp f 1, in commercial allergenic products (Vailes et al). 2001;107:641-6
The role and abatement of fungal allergens in allergic diseases (Bush and Portnoy). 2001;107:S430-40
Spore germination increases allergen release from *Alternaria* (Mitakakis et al). 2001;107:388-90 (Brief communication)

G

Gastrointestinal tract
Overexpression of IL-10 mRNA in gut mucosa of patients with allergic asthma (Lamblin et al). 2001;107:739-41 (Brief communication)
Successful treatment of eosinophilic gastroenteritis with suplatast tosilate (Shirai et al). 2001;107:9249-5 (Letter)

GD3
Disialoganglioside GD3 is selectively expressed by developing and mature human mast cells (Ren et al). 2001;107:322-30

Gene(s)
Chromosome 14 linkage analysis and mutation study of 2 serpin genes in allergic asthmatic families (Malerba et al). 2001;107:654-8
The human genome project (Zweiman and Rothenberg). 2001;107:1110 (Beyond our pages)
Immunologic compensation in a patient with a large IgH constant region deletion (Depiero et al). 2001;107:1051-55
Study of twin children shows high genetic influence on IgE (Leung et al). 2001;107:565 (Editors' choice)

Genetics
A common genetic basis for idiopathic environmental intolerance and panic disorder? (Leung et al). 2001;107:763 (Editors' choice)
Genetic locus for atopic dermatitis (Zweiman and Rothenberg). 2001;107:750 (Beyond our pages)

Gestational age
Prematurity at birth reduces the long-term risk of atopy (Siltanen et al). 2001;107:229-34

Glucocorticoids
Effects of glucocorticoids on endogenous and transcellular metabolism of eicosanoids in asthma (Vachier et al). 2001;107:824-31

Modulation of high-affinity IgE receptor expression in blood monocytes: opposite effect of IL-4 and glucocorticoids (Gosset et al). 2001;107:114-22

GM-CSF

Airway epithelial cells release eosinophil survival-promoting factors (GM-CSF) after stimulation of proteinase-activated receptor 2 (Vliagoftis et al). 2001;107:679-85

Goblet cells, nasal

Epidermal growth factor receptor signaling mediates regranulation of rat nasal goblet cells (Lee et al). 2001;107:1046-50

Grasses

Grass pollen immunotherapy: symptomatic improvement correlates with reductions in eosinophils and IL-5 mRNA expression in the nasal mucosa during the pollen season (Wilson et al). 2001;107:971-6

Grass pollen immunotherapy for seasonal rhinitis and asthma: a randomized, controlled trial (Walker et al). 2001;107:87-93

Group 13 grass allergens: structural variability between different grass species and analysis of proteolytic stability (Petersen et al). 2001;107:856-62

Growth factors

Basic fibroblast growth factor in asthma: measurement in bronchoalveolar lavage fluid basally and following allergen challenge (Redington et al). 2001;107:384-7 (Brief communication)

Epidermal growth factor receptor signaling mediates regranulation of rat nasal goblet cells (Lee et al). 2001;107:1046-50

Expression of vascular endothelial growth factor, basic fibroblast growth factor, and angiogenin immunoreactivity in asthmatic airways and its relationship to angiogenesis (Hoshino et al). 2001;107:295-301

Gene expression of vascular endothelial growth factor and its receptors and angiogenesis in bronchial asthma (Hoshino et al). 2001;107:1034-38

PDGF plays as important role in asthma via airway remodeling (Leung et al). 2001;107:1 (Editors' choice)

Platelet-derived growth factor is involved in the augmentation of airway responsiveness through remodeling of airways in diesel exhaust particulate-treated mice (Yamashita et al). 2001;107:135-42

Vascular endothelial growth factor in patients with acute asthma (Lee and Lee). 2001;107:1106 (Letter)

H

Hay fever

Grass pollen immunotherapy for seasonal rhinitis and asthma: a randomized, controlled trial (Walker et al). 2001;107:87-93

Role of kinins in seasonal allergic rhinitis: icatibant, a bradykinin B_2 receptor antagonist, abolishes the hyperresponsiveness and nasal eosinophilia induced by antigen (Turner et al). 2001;107:105-13

Hereditary angioedema

Hereditary angioedema type III: an additional French pedigree with autosomal dominant transmission (Binkley and Davis). 2001;107:747-8 (Letter reply)

Hereditary angioedema type III: an additional French pedigree with autosomal dominant transmission (Martin et al). 2001;107:747 (Letter)

Hereditary angioneurotic edema

Esophageal leiomyoma incidentally recognized during an acute attack of hereditary angioneurotic edema (Farkas et al). 2001;107:926-7 (Letter)

Heterozygosity

Fifteen-year follow-up of pulmonary function in individuals heterozygous for the cystic fibrosis phenylalanine-508 deletion (Dahl et al). 2001;107:818-23

Hevea brasiliensis

Mutational analysis of the IgE epitopes in the latex allergen Hev b 5 (Beezhold et al). 2001;107:1069-76

Histamine

Histamine alters gene expression in cultured human nasal epithelial cells (Takeuchi et al). 2001;107:310-4

Lack of evidence for muscarinic type 2 receptor modulation of the human nasonasal reflex (deTineo et al). 2001;107:194-5 (Brief communication)

No correlation between wine intolerance and histamine content of wine (Kanny et al). 2001;107:375-8

Regulatory effect of histamine H1 receptor antagonist on the expression of messenger RNA encoding CC chemokines in the human nasal mucosa (Fujikura et al). 2001;107:123-8

HIV

Dysregulation of the IgE/FcεRI network in HIV-1 infection (Marone et al). 2001;107:22-30 (Rostrum)

Important progress in an AIDS vaccine (Zweiman et al). 2001;107:395 (Beyond our pages)

House dust mites; *see* Mites

Human immunodeficiency virus; *see* HIV

Humidity

Reducing humidity reduces mites (Leung et al). 2001;107:1 (Editors' choice)

Reducing relative humidity is a practical way to control dust mites and their allergens in homes in temperate climates (Arlian et al). 2001;107:99-104

Hymenoptera

Api m 6: a new bee venom allergen (Kettner et al). 2001;107:914-20

Hymenoptera sensitivity revisited (Leung et al). 2001;107:764 (Editors' choice)

Ultrarush immunotherapy in patients with Hymenoptera venom allergy (Brehler et al). 2001;107:928-9 (Letter reply)

Ultrarush immunotherapy in patients with Hymenoptera venom allergy (Ruëff and Przybilla). 2001;107:928 (Letter)

Hypersensitivity, delayed
Human eosinophils induce histamine release from antigen-activated rat peritoneal mast cells: a possible role for mast cells in late-phase allergic reactions (Piliponsky et al). 2001;107:993-1000
Inhibition of mast cell tryptase by inhaled APC 366 attenuates allergen-induced late-phase airway obstruction in asthma (Krishna et al). 2001;107:1039-45

I

Icatibant
Role of kinins in seasonal allergic rhinitis: icatibant, a bradykinin B_2 receptor antagonist, abolishes the hyperresponsiveness and nasal eosinophilia induced by antigen (Turner et al). 2001;107:105-13
Idiopathic environmental intolerance
A common genetic basis for idiopathic environmental intolerance and panic disorder? (Leung et al). 2001;107:763 (Editors' choice)
Idiopathic environmental intolerance: increased prevalence of panic disorder-associated cholecystokinin B receptor allele 7 (Binkley et al). 2001;107:887-90
IgE
Allergy caused by ingestion of persimmon *(Diospyros kaki)*: detection of specific IgE and cross-reactivity to profilin and carbohydrate determinants (Anliker et al). 2001;107:718-23
Anaphylaxis caused by the new ant, *Pachycondyla chinensis:* demonstration of specific IgE and IgE-binding components (Kim et al). 2001;107:1095-9
Anti-IgE efficacy in murine asthma models is dependent on the method of allergen sensitization (Tumas et al). 2001;107:1025-33
Association of specific allergen sensitization with socioeconomic factors and allergic disease in a population of Boston women (Lewis et al). 2001;107:615-22
Atopy patch tests, together with determination of specific IgE levels, reduce the need for oral food challenges in children with atopic dermatitis (Roehr et al). 2001;107:548-53. Correction 796
Dysregulation of the IgE/FcεRI network in HIV-1 infection (Marone et al). 2001;107:22-30 (Rostrum)
Enhanced production of leukotrienes by peripheral leukocytes and specific IgE antibodies in patients with chronic obstructive pulmonary disease (Mitsunobu et al). 2001;107:492-8
Expression and modulation of FcεRIα and FcεRIβ in human blood basophils (Saini et al). 2001;107:832-41
Expression of the high-affinity IgE receptor on peripheral blood dendritic cells: differential binding of IgE in atopic asthma (Holloway et al). 2001;107:1009-18
Identification of IgE-binding components of citrus red mite in sera of patients with citrus red-mite–induced asthma (Kim et al). 2001;107:244-48
IgE in unselected like-sexed monozygotic and dizygotic twins at birth and at 6 to 9 years of age: high but dissimilar genetic influence on IgE levels (Jacobsen et al). 2001;107:659-63
IgE regulation and roles in asthma pathogenesis (Oettgen and Geha). 2001;107:429-40. Correction 2001;107:591
Local expression of ε germline gene transcripts and RNA for the ε heavy chain of IgE in the bronchial mucosa in atopic and nonatopic asthma (Ying et al). 2001;107:686-92
Modulation of high-affinity IgE receptor expression in blood monocytes: opposite effect of IL-4 and glucocorticoids (Gosset et al). 2001;107:114-22
Murine asthma models: The rhyme and reason of IgE (Leung et al). 2001;107:936 (Editors' choice)
Mutational analysis of the IgE epitopes in the latex allergen Hev b 5 (Beezhold et al). 2001;107:1069-76
Occupational asthma caused by IgE-mediated reactivity to *Antaris* wood dust (Higuero et al). 2001;107:554-6 (Letter)
Significance of IgE-binding epitopes in allergic disease (Bufe). 2001;107:219-20 (Editorial)
Specific IgE levels in the diagnosis of immediate hypersensitivity to cows' milk protein in the infant (García-Ara et al). 2001;107:185-90
Study of twin children shows high genetic influence on IgE (Leung et al). 2001;107:565 (Editors' choice)
Tacrolimus: a new topical immunomodulatory therapy for atopic dermatitis (Reitamo). 2001;107:445-8 (Editorial)
Total and specific IgE in nasal polyps is related to local eosinophilic inflammation (Bachert et al). 2001;107:607-14
Utility of food-specific IgE concentrations in predicting symptomatic food allergy (Sampson). 2001;107:891-6
Immune response
Influence of CD40 expression on atopic immune responses (Leung et al). 2001;107:763 (Editors' choice)
Immune system
Extreme environments and the immune system: effects of spaceflight on immune responses (Sonnenfeld). 2001;107:19-20 (Editorial)
Immunodeficiency
Association of humoral immunodeficiency, cleidocranial dysplasia, and von Willebrand's disease in a family cluster (Kelkar and Ten). 2001;107:742 (Letter)
Immunologic compensation in a patient with a large IgH constant region deletion (Depiero et al). 2001;107:1051-55
Immunoglobulin
Immunologic compensation in a patient with a large IgH constant region deletion (Depiero et al). 2001;107:1051-55

Immunotherapy
Elevated secretion of myeloperoxidase by neutrophils from asthmatic patients: the effect of immunotherapy (Monteseirín et al). 2001;107:623-6
Fatal insect allergy after discontinuation of venom immunotherapy (Golden). 2001;107:925-6 (Letter)
Grass pollen immunotherapy: symptomatic improvement correlates with reductions in eosinophils and IL-5 mRNA expression in the nasal mucosa during the pollen season (Wilson et al). 2001;107:971-6
Grass pollen immunotherapy for seasonal rhinitis and asthma: a randomized, controlled trial (Walker et al). 2001;107:87-93
Immunotherapy does work in asthma (Leung et al). 2001;107:2 (Editors' choice)
Insect sting fatality 9 years after venom treatment (venom allergy, fatality) (Light). 2001;107:925 (Letter)
Maintenance venom immunotherapy administered at 3-month intervals is both safe and efficacious (Goldberg and Confino-Cohen). 2001;107:902-6
Premedication with antihistamines may enhance efficacy of specific-allergen immunotherapy (Müller et al). 2001;107:81-6
Sublingual immunotherapy (Frew and Smith). 2001;107:441-4 (Rostrum)
T_H2 lymphocytes from atopic patients treated with immunotherapy undergo rapid apoptosis after culture with specific allergens (Guerra et al). 2001;107:647-53
Ultrarush immunotherapy in patients with Hymenoptera venom allergy (Brehler et al). 2001;107:928-9 (Letter reply)
Ultrarush immunotherapy in patients with Hymenoptera venom allergy (Ruëff and Przybilla). 2001;107:928 (Letter)
Inducible co-stimulatory molecule (ICOS)
T cell co-stimulation requires ICOS (Zweiman and Rothenberg). 2001;107:930 (Beyond our pages)
Infants
Antibiotic use during infancy promotes a shift in the T_H1/T_H2 balance toward T_H2-dominant immunity in mice (Oyama et al). 2001;107:153-9
Specific IgE levels in the diagnosis of immediate hypersensitivity to cows' milk protein in the infant (García-Ara et al). 2001;107:185-90
Infants, newborn
Distinct patterns of neonatal gut microflora in infants in whom atopy was and was not developing (Kalliomäki et al). 2001;107:129-34
Infection(s)
Is asthma an infectious disease? (Leung et al). 2001;107:565 (Editors' choice)
A link between chronic asthma and chronic infection (Martin et al). 2001;107:595-601
Inflammation
Airway epithelial cells release eosinophil survival-promoting factors (GM-CSF) after stimulation of proteinase-activated receptor 2 (Vliagoftis et al). 2001;107:679-85
Counterbalancing of T_H2-driven allergic airway inflammation by IL-12 does not require IL-10 (Tournoy et al). 2001;107:483-91
Healthy subjects express differences in clinical responses to inhaled lipopolysaccharide that are related with inflammation and with atopy (Michel et al). 2001;107:797-804
Human endotoxin susceptibility and the risk of atopy (Leung et al). 2001;107:764 (Editors' choice)
L-selectin and intercellular adhesion molecule 1 mediate lymphocyte migration to the inflamed airway/lung during an allergic inflammatory response in an animal model of asthma (Keramidaris et al). 2001;107:734-8 (Brief communication)
L-Selectin is required for the development of airway hyperresponsiveness but not airway inflammation in a murine model of asthma (Fiscus et al). 2001;107:1019-24
Total and specific IgE in nasal polyps is related to local eosinophilic inflammation (Bachert et al). 2001;107:607-14
Integrins
Human skin mast cells adhere to vitronectin via the $\alpha v\beta_3$ integrin receptor (CD51/CD61) (Columbo and Bochner). 2001;107:554 (Letter)
Interferons
Association of IFN-γ and IFN regulatory factor 1 polymorphisms with childhood atopic asthma (Nakao et al). 2001;107:499-504
Expression of IFN-γ–inducible protein; monocyte chemotactic proteins 1, 3, and 4; and eotaxin in T_H1- and T_H2-mediated lung diseases (Miotto et al). 2001;107:664-70
Fusion protein vesicle-associated membrane protein 2 is implicated in IFN-γ-induced piecemeal degranulation in human eosinophils from atopic individuals (Lacy et al). 2001;107:671-8. Correction 2001;107:1008
Interleukin-3 (IL-3)
Differences in proliferation of the hematopoietic cell line TF-1 and cytokine production by peripheral blood leukocytes induced by 2 naturally occurring forms of human IL-3 (Schweiger et al). 2001;107:505-10
Expression and modulation of FcεRIα and FcεRIβ in human blood basophils (Saini et al). 2001;107:832-41
Interleukin-4 (IL-4)
Efficacy of soluble IL-4 receptor for the treatment of adults with asthma (Borish et al). 2001;107:963-70
IL-4, IL-13, and dexamethasone augment fibroblast proliferation in asthma (Kraft et al). 2001;107:602-6
IL-4 and IL-13 induce myofibroblastic phenotype of

human lung fibroblasts through c-Jun NH_2-terminal kinase-dependent pathway (Hashimoto et al). 2001;107:1001-8
IL-4-producing basophils in late reactions of the lung (Leung et al). 2001;107:201 (Editors' choice)
IL-4 production by human basophils found in the lung following segmental allergen challenge (Schroeder et al). 2001;107:265-71
Local expression of ε germline gene transcripts and RNA for the ε heavy chain of IgE in the bronchial mucosa in atopic and nonatopic asthma (Ying et al). 2001;107:686-92
Modulation of high-affinity IgE receptor expression in blood monocytes: opposite effect of IL-4 and glucocorticoids (Gosset et al). 2001;107:114-22
T_H2 cytokine-associated transcription factors in atopic and nonatopic asthma: evidence for differential signal transducer and activator of transcription 6 expression (Christodoulopoulos et al). 2001;107:586-91 (Rapid publication)
T_H2 cytokine and mitogen-activated protein kinase in airway remodeling in asthma (Leung et al). 2001;107:935 (Editors' choice)

Interleukin-5 (IL-5)
Grass pollen immunotherapy: symptomatic improvement correlates with reductions in eosinophils and IL-5 mRNA expression in the nasal mucosa during the pollen season (Wilson et al). 2001;107:971-6
IL-16 inhibits IL-5 production by antigen-stimulated T cells in atopic subjects (Pinsonneault et al). 2001;107:477-82

Interleukin-6 (IL-6)
Soluble TNF-α receptor 1 and IL-6 plasma levels in humans subjected to the sleep deprivation model of spaceflight (Shearer et al). 2001;107:165-70

Interleukin-9 (IL-9)
IL-9 knockout mice (Zweiman and Rothenberg). 2001;107:749-50 (Beyond our pages)
Role of IL-9 in the pathophysiology of allergic diseases (Soussi-Gounni et al). 2001;107:575-82

Interleukin-10 (IL-10)
Counterbalancing of T_H2-driven allergic airway inflammation by IL-12 does not require IL-10 (Tournoy et al). 2001;107:483-91
Overexpression of IL-10 mRNA in gut mucosa of patients with allergic asthma (Lamblin et al). 2001;107:739-41 (Brief communication)

Interleukin-12 (IL-12)
Counterbalancing of T_H2-driven allergic airway inflammation by IL-12 does not require IL-10 (Tournoy et al). 2001;107:483-91
IL-12/IL-13 axis in allergic asthma (Wills-Karp). 2001;107:9-18

Interleukin-13 (IL-13)
IL-4, IL-13, and dexamethasone augment fibroblast proliferation in asthma (Kraft et al). 2001;107:602-6
IL-4 and IL-13 induce myofibroblastic phenotype of human lung fibroblasts through c-Jun NH_2-terminal kinase-dependent pathway (Hashimoto et al). 2001;107:1001-8
IL-12/IL-13 axis in allergic asthma (Wills-Karp). 2001;107:9-18
T_H2 cytokine and mitogen-activated protein kinase in airway remodeling in asthma (Leung et al). 2001;107:935 (Editors' choice)

Interleukin-16 (IL-16)
IL-16 inhibits IL-5 production by antigen-stimulated T cells in atopic subjects (Pinsonneault et al). 2001;107:477-82

Interleukin-18 (IL-18)
IL-18 might reflect disease activity in mild and moderate asthma exacerbation (Tanaka et al). 2001;107:331-6

Interleukin-21 (IL-21)
IL-21 and its receptor (Zweiman and Rothenberg). 2001;107:749 (Beyond our pages)

Intestines
Distinct patterns of neonatal gut microflora in infants in whom atopy was and was not developing (Kalliomäki et al). 2001;107:129-34

J

Journal of Allergy and Clinical Immunology
Launching JACI into the new millennium: outer space and cyberspace (Leung). 2001;107:21 (Editorial)

K

Keratinocytes
Different expression of chemokines in keratinocytes from patients with atopic dermatitis and keratinocytes from patients with psoriasis (Leung et al). 2001;107:764 (Editors' choice)
Keratinocytes from patients with atopic dermatitis and psoriasis show a distinct chemokine production profile in response to T cell-derived cytokines (Giustizieri et al). 2001;107:871-7

Ketorolac tromethamine
Selective severe anaphylactic reaction due to ketorolac tromethamine without nonsteroidal anti-inflammatory drug intolerance (Scala et al). 2001;107:557 (Letter)

Kinins
Role of kinins in seasonal allergic rhinitis: icatibant, a bradykinin B_2 receptor antagonist, abolishes the hyperresponsiveness and nasal eosinophilia induced by antigen (Turner et al). 2001;107:105-13

L

Langerhans' cells, epidermal
Human epidermal Langerhans' cells are targets for the immunosuppressive macrolide tacrolimus (FK506) (Panhans-Groß et al). 2001;107:345-52

Late-phase reaction; *see* Hypersensitivity, delayed

Latex
Fatal latex allergy (Pumphrey et al). 2001;107:558 (Letter)

A hooded exposure chamber method for semiquantitative latex aeroallergen challenge (Kurtz et al). 2001;107:178-84

Incidence of sensitization, symptoms, and probable occupational rhinoconjunctivitis and asthma in apprentices starting exposure to latex (Archambault et al). 2001;107:921-3 (Brief communication)

Mutational analysis of the IgE epitopes in the latex allergen Hev b 5 (Beezhold et al). 2001;107:1069-76

Natural rubber pharmaceutical vial closures release latex allergens that produce skin reactions (Primeau et al). 2001;107:958-62 (Rapid publication)

Natural rubber vial stoppers: Potentially dangerous for patients with latex allergy? (Leung et al). 2001;107:935 (Editors' choice)

Occupational asthma in symptomatic workers exposed to natural rubber latex: evaluation of diagnostic procedures (Vandenplas et al). 2001;107:542-7

Letters; *see* Correspondence

Leukotrienes

Differences in proliferation of the hematopoietic cell line TF-1 and cytokine production by peripheral blood leukocytes induced by 2 naturally occurring forms of human IL-3 (Schweiger et al). 2001;107:505-10

Enhanced production of leukotrienes by peripheral leukocytes and specific IgE antibodies in patients with chronic obstructive pulmonary disease (Mitsunobu et al). 2001;107:492-8

Leukotrienes not responsible for increased expired nitric oxide in asthma (Zweiman and Rothenberg). 2001;107:749 (Beyond our pages)

Lipid transfer protein

Recombinant allergens Pru av 1 and Pru av 4 and a newly identified lipid transfer protein in the in vitro diagnosis of cherry allergy (Scheurer et al). 2001;107:724-31

Lung(s)

IL-4-producing basophils in late reactions of the lung (Leung et al). 2001;107:201 (Editors' choice)

IL-4 production by human basophils found in the lung following segmental allergen challenge (Schroeder et al). 2001;107:265-71

Lung function

Pulmonary function response to EDTA, an additive in nebulized bronchodilators (Asmus et al). 2001;107:68-72

M

Macrophages

Normally suppressing CD40 coregulatory signals delivered by airway macrophages to T_H2 lymphocytes are defective in patients with atopic asthma (Tang et al). 2001;107:863-70

Macrophages, alveolar

Human alveolar macrophages induce functional inactivation in antigen-specific CD4 T cells (Blumenthal et al). 2001;107:258-64

Mast cells

Acquisition and alteration of adhesion molecules during cultured human mast cell differentiation (Tachimoto et al). 2001;107:302-9

Disialoganglioside GD3 is selectively expressed by developing and mature human mast cells (Ren et al). 2001;107:322-30

Human eosinophils induce histamine release from antigen-activated rat peritoneal mast cells: a possible role for mast cells in late-phase allergic reactions (Piliponsky et al). 2001;107:993-1000

Human mouse mast cell protease 7-like tryptase genes are pseudogenes (Min et al). 2001;107:315-21

Human skin mast cells adhere to vitronectin via the $\alpha v\beta_3$ integrin receptor (CD51/CD61) (Columbo and Bochner). 2001;107:554 (Letter)

Medical surveillance program

Can medical surveillance measures improve the outcome of occupational asthma? (Tarlo and Liss). 2001;107:583-5 (Editorial)

Effectiveness of a medical surveillance program for the prevention of occupational asthma caused by platinum salts: a nested case-control study (Merget et al). 2001;107:707-12

Metalloproteinases

Metalloproteinases and asthma (Zweiman and Rothenberg). 2001;107:749 (Beyond our pages)

Methacholine

Coronary and laryngeal spasm provoked by methacholine inhalation (Parameswaran et al). 2001;107:392-3 (Letter)

Mice

An obligate role for T-cell receptor $\alpha\beta^+$ T cells but not T-cell receptor $\gamma\delta^+$ T cells, B cells, or CD40/CD40L interactions in a mouse model of atopic dermatitis (Woodward et al). 2001;107:359-66

Antibiotic use during infancy promotes a shift in the T_H1/T_H2 balance toward T_H2-dominant immunity in mice (Oyama et al). 2001;107:153-9

Anti-IgE efficacy in murine asthma models is dependent on the method of allergen sensitization (Tumas et al). 2001;107:1025-33

Complement factor 5 is a genetic susceptibility locus for experimental allergic asthma (Zweiman et al). 2001;107:200 (Beyond our pages)

CpG-DNA receptor identified as Toll-like receptor 9 (TLR9) (Zweiman and Rothenberg). 2001;107:930-1 (Beyond our pages)

IL-9 knockout mice (Zweiman and Rothenberg). 2001;107:749-50 (Beyond our pages)

IL-10-/-mice reveal potential danger of cytokine therapy in asthma (Leung et al). 2001;107:418 (Editors' choice)

L-Selectin is required for the development of airway hyperresponsiveness but not airway inflammation

in a murine model of asthma (Fiscus et al). 2001;107:1019-24
Murine asthma models: The rhyme and reason of IgE (Leung et al). 2001;107:936 (Editors' choice)
Murine model of atopic dermatitis associated with food hypersensitivity (Li et al). 2001;107:693-702

Milk hypersensitivity
Identification of IgE-and IgG-binding epitopes on α_{s1}-casein: differences in patients with persistent and transient cow's milk allergy (Chatchatee et al). 2001;107:379-83
Specific IgE levels in the diagnosis of immediate hypersensitivity to cows' milk protein in the infant (García-Ara et al). 2001;107:185-90

Mites
Allergens of wild house dust mites: environmental Der p 1 and Der p 2 sequence polymorphisms (Smith et al). 2001;107:977-84
The biology of dust mites and the remediation of mite allergens in allergic disease (Arlian and Platts-Mills). 2001;107:S406-13
Cross-reactivity studies of a new group 2 allergen from the dust mite *Glycyphagus domesticus*, Gly d 2, and group 2 allergens from *Dermatophagoides pteronyssinus, Lepidoglyphus destructor,* and *Tyrophagus putrescentiae* with recombinant allergens (Gafvelin et al). 2001;107:511-18
Environmental allergen avoidance: an overview (Eggleston and Bush). 2001;107:S403-5
Eradication of house dust mite from homes of atopic asthmatic subjects: a double-blind trial (Htut et al). 2001;107:55-60
House dust mite and cockroach exposure are strong risk factors for positive allergy skin test responses in the Childhood Asthma Management Program (Huss et al). 2001;107:48-54
Identification of IgE-binding components of citrus red mite in sera of patients with citrus red-mite–induced asthma (Kim et al). 2001;107:244-48
The molecular basis of antigenic cross-reactivity between the group 2 mite allergens (Smith et al). 2001;107:977-84
Reducing humidity reduces mites (Leung et al). 2001;107:1 (Editors' choice)
Reducing relative humidity is a practical way to control dust mites and their allergens in homes in temperate climates (Arlian et al). 2001;107:99-104

Monocytes
Modulation of high-affinity IgE receptor expression in blood monocytes: opposite effect of IL-4 and glucocorticoids (Gosset et al). 2001;107:114-22

Montelukast
Low-dose fluticasone propionate compared with montelukast for first-line treatment of persistent asthma: a randomized clinical trial (Busse et al). 2001;107:461-8

Mortality
Inhaled corticosteroids: impact on asthma morbidity and mortality (Suissa and Ernst). 2001;107:937-44

Muscarinic receptors
Lack of evidence for muscarinic type 2 receptor modulation of the human nasonasal reflex (deTineo et al). 2001;107:194-5 (Brief communication)

Mycobacterium vaccae
Intradermal administration of a killed *Mycobacterium vaccae* suspension (SRL 172) is associated with improvement in atopic dermatitis in children with moderate-to-severe disease (Arkwright and David). 2001;107:531-4
Intradermal mycobacterial antigen administration ameliorates atopic dermatitis in children (Leung et al). 2001;107:418 (Editors' choice)

Mycoplasma
A link between chronic asthma and chronic infection (Martin et al). 2001;107:595-601

Myeloperoxidase
Elevated secretion of myeloperoxidase by neutrophils from asthmatic patients: the effect of immunotherapy (Monteseirín et al). 2001;107:623-6

Myofibroblasts
IL-4 and IL-13 induce myofibroblastic phenotype of human lung fibroblasts through c-Jun NH_2-terminal kinase-dependent pathway (Hashimoto et al). 2001;107:1001-8
T_H2 cytokine and mitogen-activated protein kinase in airway remodeling in asthma (Leung et al). 2001;107:935 (Editors' choice)

N

Nasal mucosa
Histamine alters gene expression in cultured human nasal epithelial cells (Takeuchi et al). 2001;107:310-4
Regulatory effect of histamine H1 receptor antagonist on the expression of messenger RNA encoding CC chemokines in the human nasal mucosa (Fujikura et al). 2001;107:123-8

Nasal polyps
Medical versus surgical treatment of nasal polyps (Leung et al). 2001;107:202 (Editors' choice)
A randomized controlled study evaluating medical treatment versus surgical treatment in addition to medical treatment of nasal polyposis (Blomqvist et al). 2001;107:224-28
Total and specific IgE in nasal polyps is related to local eosinophilic inflammation (Bachert et al). 2001;107:607-14

Nasal provocation tests
Nasal allergen provocation induces adhesion molecule expression and tissue eosinophilia in upper and lower airways (Braunstahl et al). 2001;107:469-76

Nasonasal reflex
Lack of evidence for muscarinic type 2 receptor modulation of the human nasonasal reflex (deTineo et al). 2001;107:194-5 (Brief communication)

Nebulizers and inhalers
Call for worldwide withdrawal of benzalkonium

chloride from nebulizer solutions (Beasley et al). 2001;107:222-23 (Editorial)
Pulmonary function response to EDTA, an additive in nebulized bronchodilators (Asmus et al). 2001;107:68-72

Nedocromil
Long-term effects of budesonide or nedocromil on childhood asthma (Zweiman et al). 2001;107:563 (Beyond our pages)

Neonate; *see* Infant, newborn

Neutrophils
CD14-dependent airway neutrophil response to inhaled LPS: role of atopy (Alexis et al). 2001;107:31-5 (Rapid publication)
Elevated secretion of myeloperoxidase by neutrophils from asthmatic patients: the effect of immunotherapy (Monteseirín et al). 2001;107:623-6

Nitric oxide
Leukotrienes not responsible for increased expired nitric oxide in asthma (Zweiman and Rothenberg). 2001;107:749 (Beyond our pages)
Rhinovirus infection induces expression of type 2 nitric oxide synthase in human respiratory epithelial cells in vitro and in vivo (Sanders et al). 2001;107:235-43

Nitrogen dioxide
Effect of ozone and nitrogen dioxide on the release of proinflammatory mediators from bronchial epithelial cells of nonatopic nonasthmatic subjects and atopic asthmatic patients in vitro (Bayram et al). 2001;107:287-94

Nuts
Fatalities due to anaphylactic reactions to foods (Bock et al). 2001;107:191-3

O

Occupational exposure
Can medical surveillance measures improve the outcome of occupational asthma? (Tarlo and Liss). 2001;107:583-5 (Editorial)
Can sputum cell counts be useful for evaluating occupational asthma? (Leung et al). 2001;107:936 (Editors' choice)
Changes in sputum cell counts after exposure to occupational agents: what do they mean? (Lemière et al). 2001;107:1063-8
Effectiveness of a medical surveillance program for the prevention of occupational asthma caused by platinum salts: a nested case-control study (Merget et al). 2001;107:707-12
A hooded exposure chamber method for semiquantitative latex aeroallergen challenge (Kurtz et al). 2001;107:178-84
Incidence of sensitization, symptoms, and probable occupational rhinoconjunctivitis and asthma in apprentices starting exposure to latex (Archambault et al). 2001;107:921-3 (Brief communication)
Occupational asthma caused by IgE-mediated reactivity to *Antaris* wood dust (Higuero et al). 2001;107:554-6 (Letter)
Occupational asthma in symptomatic workers exposed to natural rubber latex: evaluation of diagnostic procedures (Vandenplas et al). 2001;107:542-7
Occupational rhinitis and asthma by *Lathyrus sativus* flour: characterization of allergens (Porcel et al). 2001;107:743-4 (Letter)
Oligonucleotides (ODNs)
Local administration of antisense phosphorothioate oligonucleotides to the c-kit ligand, stem cell factor, suppresses airway inflammation and IL-4 production in a murine model of asthma (Finotto et al). 2001;107:279-86
Local delivery of SCF antisense oligonucleotides: promise of a new therapy for asthma? (Leung et al). 2001;107:202 (Editors' choice)

5-Oxo-6,8,11,14-eicosatetraenoic acid
Eotaxin and RANTES enhance 5-oxo-6,8,11,!4-eicosatetraenoic acid-induced eosinophil chemotaxis (Powell et al). 2001;107:272-78
Synergistic effects of lipid and chemokine mediators on eosinophils (Leung et al). 2001;107:201 (Editors' choice)

Oxybenzone
Anaphylaxis to oxybenzone, a frequent constituent of sunscreens (Emonet et al). 2001;107:556-7 (Letter)

Ozone
Effect of ozone and nitrogen dioxide on the release of proinflammatory mediators from bronchial epithelial cells of nonatopic nonasthmatic subjects and atopic asthmatic patients in vitro (Bayram et al). 2001;107:287-94

P

Pachycondyla chinensis
Anaphylaxis caused by the new ant, *Pachycondyla chinensis:* demonstration of specific IgE and IgE-binding components (Kim et al). 2001;107:1095-9

Panic disorder
A common genetic basis for idiopathic environmental intolerance and panic disorder? (Leung et al). 2001;107:763 (Editors' choice)
Idiopathic environmental intolerance: increased prevalence of panic disorder-associated cholecystokinin B receptor allele 7 (Binkley et al). 2001;107:887-90

Patch test, atopy
Atopy patch tests, together with determination of specific IgE levels, reduce the need for oral food challenges in children with atopic dermatitis (Roehr et al). 2001;107:548-53. Correction 796

Peanut
Effects of cooking methods on peanut allergenicity (Beyer et al). 2001;107:1077-81
Fatalities due to anaphylactic reactions to foods (Bock et al). 2001;107:191-3

Isolation and molecular characterization of the first genomic clone of a major peanut allergen, Ara h (Viquez et al). 2001;107:713-17
Method of cooking affects peanut allergens (Leung et al). 2001;107:936 (Editors' choice)
Modification of T-cell receptor Vβ repertoire in response to allergen stimulation in peanut allergy (Bakakos et al). 2001;107:1089-94
The natural history of peanut allergy (Skolnick et al). 2001;107:367-74
Peanut allergy: children who lose the positive skin test response (Zimmerman and Urch). 2001;107:558-9 (Letter)
Peanut allergy: not necessarily a lifelong diagnosis (Leung et al). 2001;107:202 (Editors' choice)

Pediatric patients; *see* Children; Infants

Perforin
Perforin hyperreleasability and depletion in cytotoxic T cells from patients with exacerbated atopic dermatitis and asymptomatic rhinoconjunctivitis allergica (Ambach et al). 2001;107:878-86

Persimmon
Allergy caused by ingestion of persimmon *(Diospyros kaki)*: detection of specific IgE and cross-reactivity to profilin and carbohydrate determinants (Anliker et al). 2001;107:718-23

Pets; *see* Cats; Dogs

Pollen
Grass pollen immunotherapy for seasonal rhinitis and asthma: a randomized, controlled trial (Walker et al). 2001;107:87-93

Polymorphisms
Allergens of wild house dust mites: environmental Der p 1 and Der p 2 sequence polymorphisms (Smith et al). 2001;107:977-84
Association of IFN-γ and IFN regulatory factor 1 polymorphisms with childhood atopic asthma (Nakao et al). 2001;107:499-504
Differences in proliferation of the hematopoietic cell line TF-1 and cytokine production by peripheral blood leukocytes induced by 2 naturally occurring forms of human IL-3 (Schweiger et al). 2001;107:505-10
The human genome project (Zweiman and Rothenberg). 2001;107:1110 (Beyond our pages)

Polyps, nasal; *see* Nasal polyps

Prematurity
Prematurity at birth reduces the long-term risk of atopy (Siltanen et al). 2001;107:229-34

Proteases
Proteases may induce eosinophil accumulation in the airways in asthma (Leung et al). 2001;107:566 (Editors' choice)

Pseudogene
Human mouse mast cell protease 7-like tryptase genes are pseudogenes (Min et al). 2001;107:315-21

Pseudomonas aeruginosa
CD95-dependent apoptosis of lung epithelial cells is critically involved in host defense against *Pseudomonas aeruginosa* (Zweiman et al). 2001;107:396 (Beyond our pages)

Psoriasis
Different expression of chemokines in keratinocytes from patients with atopic dermatitis and keratinocytes from patients with psoriasis (Leung et al). 2001;107:764 (Editors' choice)
Keratinocytes from patients with atopic dermatitis and psoriasis show a distinct chemokine production profile in response to T cell-derived cytokines (Giustizieri et al). 2001;107:871-7

Q

Quality of life
Assessment of health status and quality of life outcomes for children with asthma (Annett). 2001;107:S473-81

Questionnaires
Pediatric asthma assessment: validation of 2 symptom diaries (Santanello). 2001;107:S465-72

R

RANTES
Eotaxin and RANTES enhance 5-oxo-6,8,11,14-eicosatetraenoic acid-induced eosinophil chemotaxis (Powell et al). 2001;107:272-78

RAST
Hymenoptera sensitivity revisited (Leung et al). 2001;107:764 (Editors' choice)
Insect sting allergy: the dilemma of the negative skin test reactor (Reisman). 2001;107:781-2 (Editorial)
Insect sting allergy with negative venom skin test responses (Golden et al). 2001;107:897-901

Rat model
Epidermal growth factor receptor signaling mediates regranulation of rat nasal goblet cells (Lee et al). 2001;107:1046-50
Human eosinophils induce histamine release from antigen-activated rat peritoneal mast cells: a possible role for mast cells in late-phase allergic reactions (Piliponsky et al). 2001;107:993-1000

Receptors
CpG-DNA receptor identified as Toll-like receptor 9 (TLR9) (Zweiman and Rothenberg). 2001;107:930-1 (Beyond our pages)
Effects of purine and pyrimidine nucleotides on intracellular Ca^{2+} in human eosinophils: activation of purinergic P2Y receptors (Mohanty et al). 2001;107:849-55
Efficacy of soluble IL-4 receptor for the treatment of adults with asthma (Borish et al). 2001;107:963-70
IL-21 and its receptor (Zweiman and Rothenberg). 2001;107:749 (Beyond our pages)

Receptors, chemokine
Chemokine receptors as functional decoys (Zweiman et al). 2001;107:563-4 (Beyond our pages)

Receptors, IgE
Expression and modulation of FcεRIα and FcεRIβ in human blood basophils (Saini et al). 2001;107:832-41
Rhinitis
Allergic and nonallergic eosinophilic rhinitis: more similar than different? (Leung et al). 2001;107:201 (Editors' choice)
Health economics of asthma and rhinitis. II. Assessing the value of interventions (Sullivan and Weiss). 2001;107:203-10
Inflammatory cell and epithelial characteristics of perennial allergic and nonallergic rhinitis with a symptom history of 1 to 3 years' duration (Amin et al). 2001;107:249-57
Occupational rhinitis and asthma by *Lathyrus sativus* flour: characterization of allergens (Porcel et al). 2001;107:743-4 (Letter)
Rhinitis, allergic
Allergic rhinitis: interaction between upper and lower airways (Leung et al). 2001;107:417 (Editors' choice)
Fluticasone propionate aqueous nasal spray reduces inflammatory cells in unchallenged allergic nasal mucosa: effects of single allergen challenge (Holm et al). 2001;107:627-33
Grass pollen immunotherapy: symptomatic improvement correlates with reductions in eosinophils and IL-5 mRNA expression in the nasal mucosa during the pollen season (Wilson et al). 2001;107:971-6
The health economics of asthma and rhinitis. I. Assessing the economic impact (Weiss and Sullivan). 2001;107:3-8
Perennial rhinitis induced by benzoate intolerance (Asero). 2001;107:197 (Letter)
Rhinoconjunctivitis allergica
Perforin hyperreleasability and depletion in cytotoxic T cells from patients with exacerbated atopic dermatitis and asymptomatic rhinoconjunctivitis allergica (Ambach et al). 2001;107:878-86
Rhinosinusitis
Rhinosinusitis in severe asthma (Bresciani et al). 2001;107:73-80
Rhinovirus infection
Rhinovirus infection induces expression of type 2 nitric oxide synthase in human respiratory epithelial cells in vitro and in vivo (Sanders et al). 2001;107:235-43
RNA, messenger
Regulatory effect of histamine H1 receptor antagonist on the expression of messenger RNA encoding CC chemokines in the human nasal mucosa (Fujikura et al). 2001;107:123-8

S

Salmeterol
Addition of salmeterol to low-dose fluticasone versus higher-dose fluticasone: an analysis of asthma exacerbations (Matz et al). 2001;107:783-9
Advair: combination treatment with fluticasone propionate/salmeterol in the treatment of asthma (Nelson). 2001;107:398-416 (New products)
Fluticasone propionate/salmeterol combination (Lipworth). 2001;107:746 (Letter)
Fluticasone propionate/salmeterol combination (Nelson). 2001;107:746 (Letter reply)
Sarcoidosis
T_H1/T_H2 and T_C1/T_C2 profiles in peripheral blood and bronchoalveolar lavage fluid cells in pulmonary sarcoidosis (Inui et al). 2001;107:337-44
Seasonal allergic rhinitis *see* Hay fever
Sepsis
Caspase inhibitors for sepsis (Zweiman et al). 2001;107:564 (Beyond our pages)
Skin
$CCR4^+$ memory $CD4^+$ T lymphocytes are increased in peripheral blood and lesional skin from patients with atopic dermatitis (Nakatani et al). 2001;107:353-8
Human skin mast cells adhere to vitronectin via the $\alpha v\beta_3$ integrin receptor (CD51/CD61) (Columbo and Bochner). 2001;107:554 (Letter)
Skin concentrations of H_1-receptor antagonists (Simons et al). 2001;107:526-30
Skin tests
Comparing conventional and acetone-precipitated dog allergen extract skin testing (Meiser and Nelson). 2001;107:744-5 (Letter)
House dust mite and cockroach exposure are strong risk factors for positive allergy skin test responses in the Childhood Asthma Management Program (Huss et al). 2001;107:48-54
Hymenoptera sensitivity revisited (Leung et al). 2001;107:764 (Editors' choice)
Insect sting allergy: the dilemma of the negative skin test reactor (Reisman). 2001;107:781-2 (Editorial)
Insect sting allergy with negative venom skin test responses (Golden et al). 2001;107:897-901
Natural rubber pharmaceutical vial closures release latex allergens that produce skin reactions (Primeau et al). 2001;107:958-62 (Rapid publication)
Natural rubber vial stoppers: Potentially dangerous for patients with latex allergy? (Leung et al). 2001;107:935 (Editors' choice)
Sleep deprivation
Soluble TNF-α receptor 1 and IL-6 plasma levels in humans subjected to the sleep deprivation model of spaceflight (Shearer et al). 2001;107:165-70
Socioeconomic status
Association of specific allergen sensitization with socioeconomic factors and allergic disease in a population of Boston women (Lewis et al). 2001;107:615-22
Socioeconomic status and risk of sensitization (Leung et al). 2001;107:566 (Editors' choice)
Spaceflight model
Antibody responses to bacteriophage χX-174 in human subjects exposed to the Antarctic winter-

over model of spaceflight (Shearer et al). 2001;107:160-4
Extreme environments and the immune system: effects of spaceflight on immune responses (Sonnenfeld). 2001;107:19-20 (Editorial)
Launching JACI into the new millennium: outer space and cyberspace (Leung). 2001;107:21 (Editorial)
Soluble TNF-α receptor 1 and IL-6 plasma levels in humans subjected to the sleep deprivation model of spaceflight (Shearer et al). 2001;107:165-70

Sputum
Can sputum cell counts be useful for evaluating occupational asthma? (Leung et al). 2001;107:936 (Editors' choice)
Changes in sputum cell counts after exposure to occupational agents: what do they mean? (Lemière et al). 2001;107:1063-8

Stem cell factor
Local administration of antisense phosphorothioate oligonucleotides to the c-kit ligand, stem cell factor, suppresses airway inflammation and IL-4 production in a murine model of asthma (Finotto et al). 2001;107:279-86
Local delivery of SCF antisense oligonucleotides: promise of a new therapy for asthma? (Leung et al). 2001;107:202 (Editors' choice)

Stings; *see* Bites and stings

Sunscreens
Anaphylaxis to oxybenzone, a frequent constituent of sunscreens (Emonet et al). 2001;107:556-7 (Letter)

Suplatast tosilate
Successful treatment of eosinophilic gastroenteritis with suplatast tosilate (Shirai et al). 2001;107:924-5 (Letter)

T

Tacrolimus
Epidermal dendritic cells in atopic dermatitis: a target for tacrolimus ointment? (Leung et al). 2001;107:418 (Editors' choice)
Human epidermal Langerhans' cells are targets for the immunosuppressive macrolide tacrolimus (FK506) (Panhans-Groβ et al). 2001;107:345-52
Tacrolimus: a new topical immunomodulatory therapy for atopic dermatitis (Reitamo). 2001;107:445-8 (Editorial)
Tacrolimus (FK506): new treatment approach in superantigen-associated diseases like atopic dermatitis? (Hauk and Leung). 2001;107:391-2 (Letter)
Tacrolimus ointment reduces staphylococcal colonization of atopic dermatitis lesions (Remitz et al). 2001;107:196 (Letter)
Topical tacrolimus (FK506) leads to profound phenotypic and functional alterations of epidermal antigen-presenting dendritic cells in atopic dermatitis (Wollenberg et al). 2001;107:519-25

Therapeutic outcome
Barriers to measuring and achieving optimal outcomes in pediatric asthma (Naspitz and Tinkelman). 2001;107:S482-4

Tissue engineering
Bronchial mucosa produced by tissue engineering: a new tool to study cellular interactions in asthma (Chakir et al). 2001;107:36-40 (Rapid publication)
Tissue-engineered bronchial mucosa (Leung et al). 2001;107:2 (Editors' choice)

T lymphocytes
An obligate role for T-cell receptor $\alpha\beta^+$ T cells but not T-cell receptor $\gamma\delta^+$ T cells, B cells, or CD40/CD40L interactions in a mouse model of atopic dermatitis (Woodward et al). 2001;107:359-66
$CCR4^+$ memory $CD4^+$ T lymphocytes are increased in peripheral blood and lesional skin from patients with atopic dermatitis (Nakatani et al). 2001;107:353-8
Human alveolar macrophages induce functional inactivation in antigen-specific CD4 T cells (Blumenthal et al). 2001;107:258-64
Human eosinophils constitutively express nuclear factor of activated T cells p and c (Seminario et al). 2001;107:143-52
IL-16 inhibits IL-5 production by antigen-stimulated T cells in atopic subjects (Pinsonneault et al). 2001;107:477-82
Levels of circulating $CD8^+$ T lymphocytes, natural killer cells, and eosinophils increase upon acute psychosocial stress in patients with atopic dermatitis (Schmid-Ott et al). 2001;107:171-7
Modification of T-cell receptor Vβ repertoire in response to allergen stimulation in peanut allergy (Bakakos et al). 2001;107:1089-94
Myeloid dendritic cells induce T_H2 responses to inhaled allergens (Zweiman et al). 2001;107:199 (Beyond our pages)
Pulmonary T cells and eosinophils: coconspirators or independent triggers of allergic respiratory pathology? (Lee et al). 2001;107:945-57
T cell co-stimulation requires ICOS (Zweiman and Rothenberg). 2001;107:930 (Beyond our pages)
T_H2 lymphocytes from atopic patients treated with immunotherapy undergo rapid apoptosis after culture with specific allergens (Guerra et al). 2001;107:647-53
T_H1/T_H2 and T_C1/T_C2 profiles in peripheral blood and bronchoalveolar lavage fluid cells in pulmonary sarcoidosis (Inui et al). 2001;107:337-44

Transcription factors
T_H2 cytokine-associated transcription factors in atopic and nonatopic asthma: evidence for differential signal transducer and activator of transcription 6 expression (Christodoulopoulos et al). 2001;107:586-91 (Rapid publication)

Trees; *see* Nuts

Tryptase, mast cell

Human mouse mast cell protease 7-like tryptase genes are pseudogenes (Min et al). 2001;107:315-21

Inhibition of mast cell tryptase by inhaled APC 366 attenuates allergen-induced late-phase airway obstruction in asthma (Krishna et al). 2001;107:1039-45

Tumor necrosis factor

Soluble TNF-α receptor 1 and IL-6 plasma levels in humans subjected to the sleep deprivation model of spaceflight (Shearer et al). 2001;107:165-70

Twin study

Asthma, atopy, and bronchial hyperreactivity in twins (Zweiman and Rothenberg). 2001;107:931 (Beyond our pages)

IgE in unselected like-sexed monozygotic and dizygotic twins at birth and at 6 to 9 years of age: high but dissimilar genetic influence on IgE levels (Jacobsen et al). 2001;107:659-63

Study of twin children shows high genetic influence on IgE (Leung et al). 2001;107:565 (Editors' choice)

U

Urticaria

Getting the real "skinny" on antihistamine distribution (Leung et al). 2001;107:417 (Editors' choice)

Mechanisms of autoimmune activation of basophils in chronic urticaria (Kikuchi and Kaplan). 2001;107:1056-62

Prevention of acute urticaria in young children with atopic dermatitis (Simons et al). 2001;107:703-6

V

Vaccine

Important progress in an AIDS vaccine (Zweiman et al). 2001;107:395 (Beyond our pages)

Venom immunotherapy

Fatal insect allergy after discontinuation of venom immunotherapy (Golden). 2001;107:925-6(Letter)

Hymenoptera sensitivity revisited (Leung et al). 2001;107:764 (Editors' choice)

Insect sting fatality 9 years after venom treatment (venom allergy, fatality) (Light). 2001;107:925 (Letter)

Maintenance venom immunotherapy administered at 3-month intervals is both safe and efficacious (Goldberg and Confino-Cohen). 2001;107:902-6

von Willebrand's disease

Association of humoral immunodeficiency, cleidocranial dysplasia, and von Willebrand's disease in a family cluster (Kelkar and Ten). 2001;107:742 (Letter)

W

Wheezing

Exposure to cockroach allergen in the home is associated with incident doctor-diagnosed asthma and recurrent wheezing (Litonjua et al). 2001;107:41-7

Systematic review: exposure to pets and risk of asthma and asthma-like symptoms (Apelberg et al). 2001;107:455-60

Wine

Food intolerance due to wine gums: identification of copper chlorophyll (E141) as a possible pseudoallergen (Böhm et al). 2001;107:393-4 (Letter)

No correlation between wine intolerance and histamine content of wine (Kanny et al). 2001;107:375-8

Z

Zafirlukast

One-year claims analysis comparing inhaled fluticasone propionate with zafirlukast for the treatment of asthma (Stempel et al). 2001;107:94-8